

## Product List

Model Number	Description
9049-12V	12V 4-Module LED Light Bar
9049-24V	24V 4-Module LED Light Bar



## Features & Benefits

- 4,400 raw lumens; 2,640 effective lumens
- Available in 12V DC or 24V DC configurations
- Flood & Driving beam patterns available
- UV-resistant polycarbonate lens
- Rugged solid state LEDs can withstand shock & vibration
- Long-lasting LEDs mean never having to replace another bulb again!
- Die-cast aluminum housing provides maximum protection
- Universal mount
- Programmable or non-programmable version available
- **Also available in 2-module and 6-module configurations**
- Programmable version comes with remote control

## General Specifications

<b>Lens Pattern :</b>	Flood or Driving
<b>Lens Material :</b>	Polycarbonate
<b>Warranty:</b>	4-year Limited Warranty
<b>Housing Material :</b>	Die-Cast Aluminum
<b>Mounting :</b>	Universal Mount
<b>Weight:</b>	8.5 lbs.
<b>Shipping Weight:</b>	9.0 lbs.

## Technical Specifications


4-Module 12V Version	4-Module 24V Version
12V DC Input	24V DC Input
8.000 Amps @ 12V DC	4.800 Amps @ 24V DC
Raw Lumen Output: 4,400	Raw Lumen Output: 4,400
Effective Lumen Output: 2,640	Effective Lumen Output: 2,640

## Standards Compliance

SAE J1113 (Class 21)	ECE Reg. 10
Sealed to IP67	

## Applications


Agricultural	Construction	Fire & Rescue
Forestry	Industrial	Law Enforcement
Lawn & Garden	Military	Mining
Off-Highway	On-Highway	Recreational
Specialty Trucks	Utility	



# Model 9049


**2 Module (Flood)** (2.0m high, -5°)

23.09 Max.




**4 Module (Flood)** (2.0m high, -5°)

46.65 Max.



**6 Module (Flood)** (2.0m high, -5°)

70.44 Max.



0.25 0.50 1.0 5.0 10 25 50 Lux