PRODUCT INFORMATION

Description

Height Width Depth Shape **Outer Lens Material Outer Lens Color Housing Material Housing Color Bezel Color** Mounting Type Retrofits Minimum Operating Temperature Maximum Operating Temperature **Connector or Wiring Mating Connector**

Product Weight Shipping Weight 12-24V DOT/ECE LED High Beam Heated Headlight with Chrome Bezel 107.19 mm / 4.22 in 167.64 mm / 6.6 in 84.90 mm / 3.34 in Rectangular Hardcoated Polycarbonate Clear Die-Cast Aluminum Black Chrome Low-Profile Panel Mount 1A1 and 2A1 (4" x 6") sealed beams -40 °C / -40 °F

65 °C / 149 °F

H4 Connector - AMP (#172615-2) LH Terminal - AMP (#172795-1); RH Terminal - AMP (#172796-1) 2.00 lbs / 0.91 kgs 2.30 lbs / 1.04 kgs










PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	12-24V DC
Operating Voltage	9-32V DC
Red Wire	High Beam
Black Wire	Ground
Current Draw	3.30A @ 12V DC 1.67A @ 24V DC


REGULATORY STANDARDS COMPLIANCE



Buy America Standards Eco Friendly IEC IP69K ECE Reg 112 FMVSS 108 s10.1 (Table XVIII)



PHOTOMETRIC SPECIFICATIONS



SMARTHEAT[™] HEATING SYSTEM

The SmartHeat[™] heating system senses ambient temperature and turns the integrated heating system in the lens on & off. This system actually clears ice & snow twice as fast as conventional halogen lamps.

When does the heater turn on?

Heater turns on or off according to temperature changes and vehicle power:

- Heater will turn on when temperatures drop, generating enough heat to prevent ice build-up.
- Heater will turn on when powering up, de-icing the light as rapidly as possible.

When does the heater turn off?

Heater will turn off when it senses temperatures increase and are above the high temperature threshold.

Learn more about this technology here.



PRODUCT WARNINGS

For California residents:

WARNING: Cancer and reproductive harm - <u>www.P65Warnings.ca.gov</u>.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - <u>www.P65Warnings.ca.gov</u>.

ACCESSORIES



Part Number 3269601 Low Beam Harness for 8800 Evolution 2 Series





RELATED PRODUCTS



Part Number 0551371 12-24V DOT/ECE LED RHT Low Beam Headlight with Chrome with Chrome Bezel Bezel



Part Number 0551381 12-24V DOT/ECE LED High Beam Headlight



Part Number 0551391 12-24V ECE LED LHT Low Beam Headlight with Chrome Bezel



Part Number 0551771 12-24V DOT/ECE LED RHT Low Beam Heated Bezel



Part Number 0552091 12-24V ECE LED LHT Low Beam Heated Headlight with Chrome Headlight with Chrome Bezel



Part Number 0552551 12-24V DOT/ECE LED RHT Low Beam Headlight with Black Bezel



Part Number 0552561 12-24V ECE LED LHT Low Beam Headlight with Black Bezel



```
Part Number
0552571
12-24V DOT/ECE LED
High Beam Headlight
with Black Bezel
```

