### PRODUCT INFORMATION

**Description** 12-24V DOT/ECE LED RHT Low Beam

Heated Headlight with Black Bezel

107.19 mm / 4.22 in Height Width 167.64 mm / 6.6 in 84.90 mm / 3.34 in **Depth** 

Rectangular Hardcoated Polycarbonate **Outer Lens Material** 

**Outer Lens Color** Clear

Die-Cast Aluminum **Housing Material** 

**Housing Color** Black **Bezel Color** Black

**Mounting Type** Low-Profile Panel Mount

**Retrofits** 1A1 and 2A1 (4" 1 6") sealed beams

Minimum Operating -40 °C / -40 °F

**Temperature** 

Shape

**Maximum Operating** 65 °C / 149 °F

**Temperature** 

**Connector or Wiring** H4 Connector - AMP (#172615-2) **Mating Connector** LH Terminal - AMP (#172795-1); RH

Terminal - AMP (#172796-1)

**Product Weight** 2.00 lbs / 0.91 kgs **Shipping Weight** 2.30 lbs / 1.04 kgs










### **PRODUCT DIMENSIONS**



### **ELECTRICAL SPECIFICATIONS**

Input Voltage 12-24V DC
Operating Voltage 9-32V DC
White Wire Low Beam
Black Wire Ground
Yellow Wire Low Beam
Current Draw 3.30A @ 12V DC
1.67A @ 24V DC

### REGULATORY STANDARDS COMPLIANCE













Buy America Standards

ECE Reg 112

Eco Friendly

FMVSS 108 s10.1 (Table XIX)

IEC IP69K





#### PHOTOMETRIC SPECIFICATIONS

**Raw Lumen Output** 2,830 **Effective Lumen** 782

Output

**Candela Output** 29,800 **Nominal LED Color** 5000 K


Temperature

**Beam Pattern(s)** Forward Lighting - Low Beam

(DOT)

Forward Lighting - Low Beam (ECE

Right Hand)



#### **APPLICATIONS**

























### **SMARTHEAT™ HEATING SYSTEM**

The SmartHeat<sup>™</sup> heating system senses ambient temperature and turns the integrated heating system in the lens on & off. This system actually clears ice & snow twice as fast as conventional halogen lamps.

#### When does the heater turn on?

Heater turns on or off according to temperature changes and vehicle power:

- Heater will turn on when temperatures drop, generating enough heat to prevent ice build-up.
- Heater will turn on when powering up, de-icing the light as rapidly as possible.

#### When does the heater turn off?

Heater will turn off when it senses temperatures increase and are above the high temperature threshold.

Learn more about this technology <u>here</u>.



### **PRODUCT WARNINGS**

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

**AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

### **ACCESSORIES**





<u>Part Number</u> <u>3269601</u>

Low Beam Harness for 8800 Evolution 2 Series **Part Number 3269611** 

High Beam Harness for 8800 Evolution 2 Series

### **RELATED PRODUCTS**



**Part Number** 0551371 12-24V DOT/ECE LED RHT Low Beam

Bezel



**Part Number** 0551381 12-24V DOT/ECE LED High Beam Headlight Headlight with Chrome with Chrome Bezel



**Part Number** 0551391 12-24V ECE LED LHT Low Beam Headlight with Chrome Bezel



**Part Number** 0551771 12-24V DOT/ECE LED RHT Low Beam Heated Headlight with Chrome Bezel



**Part Number** 0551781 12-24V DOT/ECE LED High Beam Heated Headlight with Chrome Bezel



Part Number 0552091 12-24V ECE LED LHT Low Beam Heated Headlight with Chrome Bezel



**Part Number** 0552551 12-24V DOT/ECE LED **RHT Low Beam** Headlight with Black Bezel



**Part Number** 0552561 12-24V ECE LED LHT Low Beam Headlight with Black Bezel

