

LED Auxiliary Work Light - Model 4418


PRODUCT INFORMATION

| | |
|--------------------------------------|--|
| Description | 12V LED Work Light Kit with Spot Beam Pattern - Kit of 2 |
| Height | 95.00 mm / 3.74 in |
| Width | 89.00 mm / 3.5 in |
| Depth | 48.00 mm / 1.89 in |
| Shape | Square |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Clear |
| Housing Material | Die-Cast Aluminum |
| Housing Color | Black |
| Mounting Hardware Description | (x1) M8-1.25 x 25mm Single Carriage Bolt |
| Mounting Type | Pedestal |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 85 °C / 185 °F |
| Connector or Wiring | Bare Leads |
| Product Weight | 1.87 lbs / 0.85 kgs |
| Shipping Weight | 3.85 lbs / 1.75 kgs |



MODEL
4418

PRODUCT DIMENSIONS



Print date: 2024-04-24

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.

LED Auxiliary Work Light - Model 4418

ELECTRICAL SPECIFICATIONS

| | |
|--------------------------|---------------------------------|
| Input Voltage | 12V DC |
| Operating Voltage | 9-16V DC |
| Red Wire | Positive |
| Black Wire | Negative |
| Current Draw | 2.17A @ 9V DC 0.97A @ 16V DC |

REGULATORY STANDARDS COMPLIANCE




Buy America Standards
IEC IP67

Eco Friendly
IEC IP69K

Tested to ECE Reg. 10
(Radiated Emissions only)

PHOTOMETRIC SPECIFICATIONS

| | |
|--------------------------------------|-------------------------|
| Raw Lumen Output | 2,450 |
| Effective Lumen Output | 1,300 |
| Nominal LED Color Temperature | 5000 K |
| Beam Pattern(s) | Forward Lighting - Spot |



Print date: 2024-04-24

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Auxiliary Work Light - Model 4418

APPLICATIONS



ADDITIONAL INFORMATION

Each Kit Includes:

- 2 Model 4418 LED Auxiliary Work Lights
- Complete Wiring Kit with:
 - 2-light switch kit with 8 foot relay harness
 - 50 inch extension wires & solder splices for a customized install
 - Illuminated rocker switch for a 13/16 inch mounting hole
 - Weather-tight connectors & a fused battery connection
 - Minimally intrusive switch wire harness for simple install

PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

Print date: 2024-04-24

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.

LED Auxiliary Work Light - Model 4418

ACCESSORIES



Part Number
6149203
A-Pillar Mounting Kit
for Jeep JK



Part Number
8200491
Mounting Kit For Work
Lights

RELATED PRODUCTS



Part Number
0554861
12V LED Work Light
with Spot Beam
Pattern



Part Number
0554871
12V LED Work Light
with Trapezoid Beam
Pattern



Part Number
0554873
12V LED Work Light Kit
with Trapezoid Beam
Pattern - Kit of 2



Part Number
0555001
12V LED Work Light
with Flood Beam
Pattern



Part Number
0555003
12V LED Work Light Kit
with Flood Beam
Pattern - Kit of 2