

LED Auxiliary Work Light - Model 4418


PRODUCT INFORMATION

Description	12V LED Work Light Kit with Flood Beam Pattern - Kit of 2
Height	95.00 mm / 3.74 in
Width	89.00 mm / 3.5 in
Depth	48.00 mm / 1.89 in
Shape	Square
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Die-Cast Aluminum
Housing Color	Black
Mounting Hardware Description	(x1) M8-1.25 x 25mm Single Carriage Bolt
Mounting Type	Pedestal
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	85 °C / 185 °F
Connector or Wiring	Bare Leads
Product Weight	1.87 lbs / 0.85 kgs
Shipping Weight	3.85 lbs / 1.75 kgs



MODEL
4418

PRODUCT DIMENSIONS



Print date: 2024-04-23

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.

LED Auxiliary Work Light - Model 4418

ELECTRICAL SPECIFICATIONS

Input Voltage	12V DC
Operating Voltage	9-16V DC
Red Wire	Positive
Black Wire	Negative
Current Draw	2.17A @ 9V DC 0.97A @ 16V DC

REGULATORY STANDARDS COMPLIANCE




Buy America Standards
IEC IP67

Eco Friendly
IEC IP69K

Tested to ECE Reg. 10
(Radiated Emissions only)

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	2,450
Effective Lumen Output	1,300
Nominal LED Color Temperature	5000 K
Beam Pattern(s)	Forward Lighting - Flood (Medium)



Print date: 2024-04-23

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Auxiliary Work Light - Model 4418

APPLICATIONS



ADDITIONAL INFORMATION

Each Kit Includes:

- 2 Model 4418 LED Auxiliary Work Lights
- Complete Wiring Kit with:
 - 2-light switch kit with 8 foot relay harness
 - 50 inch extension wires & solder splices for a customized install
 - Illuminated rocker switch for a 13/16 inch mounting hole
 - Weather-tight connectors & a fused battery connection
 - Minimally intrusive switch wire harness for simple install

PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

Print date: 2024-04-23

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.

LED Auxiliary Work Light - Model 4418

ACCESSORIES



Part Number
6149203
A-Pillar Mounting Kit
for Jeep JK



Part Number
8200491
Mounting Kit For Work
Lights

RELATED PRODUCTS



Part Number
0554861
12V LED Work Light
with Spot Beam
Pattern



Part Number
0554863
12V LED Work Light Kit
with Spot Beam
Pattern - Kit of 2



Part Number
0554871
12V LED Work Light
with Trapezoid Beam
Pattern



Part Number
0554873
12V LED Work Light Kit
with Trapezoid Beam
Pattern - Kit of 2



Part Number
0555001
12V LED Work Light
with Flood Beam
Pattern