LED Dome & Marker Lights - Model 150

PRODUCT INFORMATION

Description	12-24V ECE/SAE Red LED Side Marker Light with Mounting Assembly
Height	22.61 mm / 0.89 in
Width	64.01 mm / 2.52 in
Depth	24.64 mm / 0.97 in
Shape	Rectangular
Outer Lens Material	Acrylic
Outer Lens Color	Red
Housing Material	ABS
Housing Color	Black
Mounting Type	Low Profile Mount
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	118" Bare Leads
Product Weight	0.16 lbs / 0.07 kgs

ELECTRICAL SPECIFICATIONS

Input Voltage	12-24V DC
Red Wire	Positive
Black Wire	Negative
Current Draw	0.090 (Max)A @ 12V DC

Print date: 2017-04-29

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.

www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.

LED Dome & Marker Lights - Model 150

REGULATORY STANDARDS COMPLIANCE

MADE IN USA | ECE | ECO | DOT | TRANSPORT Canada | SAE

Buy America Standards
Eco Friendly
FMVSS 108 Table XI
SAE J592
ECE Reg 7
FMVSS 108 Table X
IEC IP67

PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s) Signalization - Clearance

APPLICATIONS

Agriculture | Automotive | Construction | Industrial | Material | Mining | Off-Road 4x4 | Specialty | Truck & Bus

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER® Engineered. Lighting. Solutions.

LED Dome & Marker Lights - Model 150

ACCESSORIES

Part Number 5856032
Replacement Mounting Assembly for Model 150 LED Lights

RELATED PRODUCTS

Part Number 0205341
12-24V ECE/SAE Amber LED Side Marker Light with Mounting Assembly

Part Number 0443051
12-24V Clear/White LED Dome Light with Mounting Assembly

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.