

LED Light Bars - Model 9049-3M

PRODUCT INFORMATION

Description	12V SAE/ECE LED 19" Light Bar with Fog Beam Pattern
Height	102.87 mm / 4.05 in
Width	562.66 mm / 22.15 in
Depth	69.85 mm / 2.75 in
Shape	Rectangular
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Die-Cast Aluminum
Housing Color	Black
Mounting Type	Universal Mount
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	36" Bare Leads
Product Weight	7.55 lbs / 3.42 kgs
Shipping Weight	7.55 lbs / 3.42 kgs
Additional Information	User is also cautioned that the mounting and use of front fog lamps are specified by various regulatory agencies.




Print date: 2017-09-26

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
Engineered. Lighting. Solutions.

LED Light Bars - Model 9049-3M

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	12V DC
Operating Voltage	9-18V DC
Red Wire	Positive
Black Wire	Negative
Current Draw	3.60A @ 12V DC

REGULATORY STANDARDS COMPLIANCE



Buy America Standards

ECE Reg 19

Eco Friendly

IEC IP69K

SAE J1113-21

SAE J583

Print date: 2017-09-26


© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
 Engineered. Lighting. Solutions.

LED Light Bars - Model 9049-3M

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	2,400
Effective Lumen Output	1,500
Nominal LED Color Temperature	5000 K
Beam Pattern(s)	Forward Lighting - Fog



APPLICATIONS



RELATED PRODUCTS



Part Number
0552441

12V LED 19" Light Bar
with Spot Beam
Pattern & Driving Light

Print date: 2017-09-26

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.