


# LED Light Bars - Model 9049-3M

## PRODUCT INFORMATION

<b>Description</b>	12V SAE/ECE LED 19" Light Bar with Fog Beam Pattern
<b>Height</b>	102.87 mm / 4.05 in
<b>Width</b>	562.66 mm / 22.15 in
<b>Depth</b>	69.85 mm / 2.75 in
<b>Shape</b>	Rectangular
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Die-Cast Aluminum
<b>Housing Color</b>	Black
<b>Mounting Type</b>	Universal Mount
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Connector or Wiring</b>	36" Bare Leads
<b>Product Weight</b>	7.55 lbs / 3.42 kgs
<b>Additional Information</b>	User is also cautioned that the mounting and use of front fog lamps are specified by various regulatory agencies.



## PRODUCT DIMENSIONS



Print date: 2017-05-29

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
 Engineered. Lighting. Solutions.

# LED Light Bars - Model 9049-3M

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12V DC
<b>Operating Voltage</b>	9-18V DC
<b>Red Wire</b>	Positive
<b>Black Wire</b>	Negative
<b>Current Draw</b>	3.60A @ 12V DC


## REGULATORY STANDARDS COMPLIANCE



Buy America Standards	ECE Reg 19
Eco Friendly	IEC IP69K
SAE J1113-21	SAE J583

## PHOTOMETRIC SPECIFICATIONS

<b>Raw Lumen Output</b>	2,400
<b>Effective Lumen Output</b>	1,500
<b>Nominal LED Color Temperature</b>	5000 K
<b>Beam Pattern(s)</b>	Forward Lighting - Fog



Print date: 2017-05-29

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
 Engineered. Lighting. Solutions.

# LED Light Bars - Model 9049-3M

## APPLICATIONS

---



## RELATED PRODUCTS

---



### **Part Number**

**0552441**

12V LED 19" Light Bar  
with Spot Beam  
Pattern & Driving Light