

LED Fog Lights - Model 6045

PRODUCT INFORMATION

Description	12V SAE/ECE RHT LED Fog Light with Black Inner Bezel
Height	111.76 mm / 4.4 in
Width	111.76 mm / 4.4 in
Depth	59.18 mm / 2.33 in
Shape	Round
Outer Lens Material	Hard-Coated Polycarbonate
Outer Lens Color	Clear
Housing Material	Die-Cast Aluminum
Housing Color	Black
Bezel Color	Black
Retrofits	PAR36
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	Packard 12059450-B
Mating Connector	Packard #12124817
Product Weight	0.82 lbs / 0.37 kgs
Shipping Weight	1.50 lbs / 0.68 kgs




Print date: 2017-08-21

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.

LED Fog Lights - Model 6045

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	12V DC
Operating Voltage	9-18V DC
Transient Spike Protection	150V Peak @ 1 HZ-100 Pulses
Red Wire	Positive
Black Wire	Negative
Current Draw	.75A @ 12V DC

REGULATORY STANDARDS COMPLIANCE



Buy America Standards
Eco Friendly
SAE J583

ECE Reg 19
IEC IP67

Print date: 2017-08-21


© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.



LED Fog Lights - Model 6045

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	750
Effective Lumen Output	500
Nominal LED Color Temperature	5000 K
Beam Pattern(s)	Forward Lighting - Fog



APPLICATIONS



ACCESSORIES



Part Number

8200181

Mounting Assembly
Adapter Kit for Fog
Lights Model 6045

Print date: 2017-08-21

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Fog Lights - Model 6045

RELATED PRODUCTS



Part Number
0546161

12V SAE/ECE RHT LED
Fog Light with Chrome
Inner Bezel



Part Number
0551653

12V SAE/ECE RHT LED
Fog Light with Chrome
Inner Bezel Kit with
Mounting Assembly
8200181