


LED Fog Lights - Model 6045

PRODUCT INFORMATION

Description	12V SAE/ECE RHT LED Fog Light with Chrome Inner Bezel
Height	111.76 mm / 4.4 in
Width	111.76 mm / 4.4 in
Depth	59.18 mm / 2.33 in
Shape	Round
Outer Lens Material	Hard-Coated Polycarbonate
Outer Lens Color	Clear
Housing Material	Die-Cast Aluminum
Housing Color	Black
Bezel Color	Chrome
Retrofits	PAR36
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	Packard (#12124817)
Product Weight	1.00 lbs / 0.45 kgs
Shipping Weight	1.50 lbs / 0.68 kgs



PRODUCT DIMENSIONS



Print date: 2018-11-20

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
 Engineered. Lighting. Solutions.

LED Fog Lights - Model 6045

ELECTRICAL SPECIFICATIONS

Input Voltage	12V DC
Operating Voltage	9-18V DC
Transient Spike Protection	150V Peak @ 1 HZ-100 Pulses
Red Wire	Positive
Black Wire	Negative
Current Draw	.75A @ 12V DC

REGULATORY STANDARDS COMPLIANCE




Buy America Standards
Eco Friendly
SAE J583

ECE Reg 19
IEC IP67

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	750
Effective Lumen Output	500
Nominal LED Color Temperature	5000 K
Beam Pattern(s)	Forward Lighting - Fog



Print date: 2018-11-20

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Fog Lights - Model 6045

APPLICATIONS



ACCESSORIES



Part Number
8200181

Mounting Assembly
Adapter Kit for Fog
Lights Model 6045

RELATED PRODUCTS



Part Number
0545731

12V SAE/ECE RHT LED
Fog Light with Black
Inner Bezel



Part Number
0551583

12V SAE/ECE LED Fog
Light with Black Inner
Bezel - 2 Light Kit



Part Number
0551593

12V SAE/ECE LED Fog
Light with Chrome
Inner Bezel - 2 Light Kit



Part Number
0551653

12V SAE/ECE RHT LED
Fog Light with Chrome
Inner Bezel Kit with
Mounting Assembly
8200181

Print date: 2018-11-20

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660