


LED Fog Lights - Model 6050

PRODUCT INFORMATION

| | |
|--------------------------------------|--|
| Description | 12V SAE/ECE RHT LED Fog Light with Chrome Inner Bezel in Rubber Bucket |
| Height | 141.99 mm / 5.59 in |
| Width | 127.00 mm / 5 in |
| Depth | 85.34 mm / 3.36 in |
| Shape | Round |
| Outer Lens Color | Clear |
| Housing Material | Die-Cast Aluminum |
| Housing Color | Black |
| Bezel Color | Chrome |
| Mounting Type | Universal pedestal Mount |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | Packard (#12124817) |
| Product Weight | 1.40 lbs / 0.64 kgs |



PRODUCT DIMENSIONS



Print date: 2017-10-23

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
 Engineered. Lighting. Solutions.

LED Fog Lights - Model 6050

ELECTRICAL SPECIFICATIONS

| | |
|-----------------------------------|-----------------------------|
| Input Voltage | 12V DC |
| Operating Voltage | 9-15V DC |
| Transient Spike Protection | 150V Peak @ 1 HZ-100 Pulses |
| Red Wire | Positive |
| Black Wire | Negative |
| Current Draw | 2.15A @ 12V DC |

REGULATORY STANDARDS COMPLIANCE




Buy America Standards
Eco Friendly

ECE Reg 19
SAE J583

PHOTOMETRIC SPECIFICATIONS

| | |
|--------------------------------------|------------------------|
| Raw Lumen Output | 750 |
| Effective Lumen Output | 500 |
| Nominal LED Color Temperature | 5000 K |
| Beam Pattern(s) | Forward Lighting - Fog |



Print date: 2017-10-23

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Fog Lights - Model 6050

APPLICATIONS



RELATED PRODUCTS



Part Number

1403141

12V SAE/ECE RHT LED
Fog Light with Black
Inner Bezel in Rubber
Bucket

Print date: 2017-10-23

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660