


# LED Fog Lights - Model 6150

## PRODUCT INFORMATION

<b>Description</b>	12V SAE/ECE LED RHT & LHT Fog Light with Black Inner Bezel & Black Housing
<b>Height</b>	121.16 mm / 4.77 in
<b>Width</b>	100.33 mm / 3.95 in
<b>Depth</b>	68.33 mm / 2.69 in
<b>Shape</b>	Round
<b>Outer Lens Material</b>	Hardcoated Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Die-Cast Aluminum
<b>Housing Color</b>	Black
<b>Bezel Color</b>	Black
<b>Mounting Hardware Description</b>	(x1) M8-1.25 x 25 SS Mounting Bolt
<b>Mounting Type</b>	Universal Pedestal Mount
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F



## PRODUCT DIMENSIONS



Print date: 2017-05-26

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

**J.W. SPEAKER**  
 Engineered. Lighting. Solutions.

# LED Fog Lights - Model 6150

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12V DC
<b>Operating Voltage</b>	10-15V DC
<b>Transient Spike Protection</b>	150V Peak @ 1 HZ-100 Pulses
<b>Red Wire</b>	Positive
<b>Black Wire</b>	Negative
<b>Current Draw</b>	1.60A @ 12V DC

## REGULATORY STANDARDS COMPLIANCE



Buy America Standards

Eco Friendly


Tested to ECE Reg. 10  
(Radiated Emissions only)

ECE Reg 19

SAE J583

## PHOTOMETRIC SPECIFICATIONS

<b>Raw Lumen Output</b>	1,080
<b>Effective Lumen Output</b>	610
<b>Nominal LED Color Temperature</b>	5000 K
<b>Beam Pattern(s)</b>	Forward Lighting - Fog



Print date: 2017-05-26

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Fog Lights - Model 6150

## APPLICATIONS



## RELATED PRODUCTS



**Part Number**  
**0547951**

12V SAE/ECE LED RHT  
& LHT Fog Light with  
Chrome Inner Bezel &  
Black Housing



**Part Number**  
**0548991**

12V SAE/ECE LED RHT  
& LHT Fog Light with  
Chrome Inner Bezel &  
Silver Housing