


LED Light Bars - Model 9049-4M

PRODUCT INFORMATION

| | |
|--------------------------------------|---|
| Description | 12V LED 25" Light Bar with Driving Beam Pattern |
| Height | 102.87 mm / 4.05 in |
| Width | 727.71 mm / 28.65 in |
| Depth | 93.22 mm / 3.67 in |
| Shape | Rectangular |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Clear |
| Housing Material | Die-Cast Aluminum |
| Housing Color | Black |
| Mounting Type | Universal Mount |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | 10" Bare Leads |
| Product Weight | 7.55 lbs / 3.42 kgs |
| Shipping Weight | 8.35 lbs / 3.79 kgs |



PRODUCT DIMENSIONS



Print date: 2018-10-24

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
 Engineered. Lighting. Solutions.

LED Light Bars - Model 9049-4M

ELECTRICAL SPECIFICATIONS

| | |
|--------------------------|----------------|
| Input Voltage | 12V DC |
| Operating Voltage | 9-18V DC |
| Red Wire | Positive |
| Black Wire | Negative |
| Current Draw | 8.00A @ 12V DC |

REGULATORY STANDARDS COMPLIANCE



Buy America Standards

IEC IP67


Tested to ECE Reg. 10
(Radiated Emissions only)

Eco Friendly

SAE J1113-21

PHOTOMETRIC SPECIFICATIONS

| | |
|--------------------------------------|----------------------------|
| Raw Lumen Output | 4,400 |
| Effective Lumen Output | 2,640 |
| Nominal LED Color Temperature | 5000 K |
| Beam Pattern(s) | Forward Lighting - Driving |



Print date: 2018-10-24

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Light Bars - Model 9049-4M

APPLICATIONS



ACCESSORIES



Part Number

0842221

4-Button Key Fob for
Model 9049-4M

RELATED PRODUCTS



Part Number

0545331

12V LED
NonProgrammable
LED 25" Light Bar with
Flood Beam Pattern



Part Number

0546291

24V LED 25" Light Bar
with Flood Beam
Pattern

Print date: 2018-10-24

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660