


LED Stop, Tail & Turn Lights - Model 236

PRODUCT INFORMATION

| | |
|--------------------------------------|---|
| Description | 12-24V ECE LED Stop, Tail & Turn Signal Light without License Plate Illuminator |
| Height | 116.33 mm / 4.58 in |
| Width | 120.40 mm / 4.74 in |
| Depth | 36.32 mm / 1.43 in |
| Shape | Square |
| Outer Lens Material | Acrylic |
| Outer Lens Color | Red |
| Housing Material | Impact-Resistant Nylon |
| Housing Color | Black |
| Mounting Type | Low Profile Mount |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Mating Connector | 4-Pin Deutsch Plug (DT06-4S) |
| Product Weight | 0.67 lbs / 0.3 kgs |



PRODUCT DIMENSIONS



Print date: 2018-08-18

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Stop, Tail & Turn Lights - Model 236

ELECTRICAL SPECIFICATIONS

| | |
|----------------------|---|
| Input Voltage | 12-24V DC |
| Red Wire | Stop |
| White Wire | Tail |
| Yellow Wire | Turn |
| Black Wire | Ground |
| Current Draw | 0.350A @ 12V DC (Stop) 0.130A @ 12V DC (Tail) 1.300 A @ 12V DC (Turn) |

REGULATORY STANDARDS COMPLIANCE



| | |
|-----------------------|-----------|
| Buy America Standards | ECE Reg 3 |
| ECE Reg 6 | ECE Reg 7 |
| Eco Friendly | IEC IP67 |

PHOTOMETRIC SPECIFICATIONS

| | |
|------------------------|---|
| Beam Pattern(s) | Signalization - Stop Signalization - Tail Signalization - Turn (Front) Signalization - Turn (Rear) |
|------------------------|---|

Print date: 2018-08-18

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Stop, Tail & Turn Lights - Model 236

APPLICATIONS



RELATED PRODUCTS



Part Number

0343141

12-24V ECE LED Stop,
Tail & Turn Signal Light
with License Plate
Illuminator