

LED Strobe Lights - Model 407

PRODUCT INFORMATION

| | |
|--------------------------------------|---|
| Description | 12-80V LED Amber Class I Strobe Light with DIN Pole Mount |
| Height | 165.00 mm / 6.5 in |
| Width | 122.75 mm / 4.83 in |
| Depth | 122.75 mm / 4.83 in |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Amber |
| Housing Material | Die-Cast Aluminum / Nylon |
| Housing Color | Black |
| Mounting Hardware Description | (x4) #8-16 x 3/4 Mounting Screw |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 60 °C / 140 °F |
| Connector or Wiring | 12" Leads |
| Shipping Weight | 1.95 lbs / 0.88 kgs |
| Additional Information | This is a kit that includes a Model 407 strobe light, DIN pole mount and hardware. DIN mount designed with (4) screw mounts to secure directly to strobe light housing. |




Print date: 2018-02-20

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
 Engineered. Lighting. Solutions.

LED Strobe Lights - Model 407

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

| | |
|--------------------------|--|
| Input Voltage | 12-80V DC |
| Operating Voltage | 9-110V DC |
| Red Wire | Positive |
| Black Wire | Negative |
| Yellow Wire | Mode |
| Current Draw | 0.915A @ 12V DC 0.500A @ 24V DC 0.34A @ 36V DC 0.265A @ 48V DC 0.190A @ 72V DC |

Print date: 2018-02-20

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Strobe Lights - Model 407

REGULATORY STANDARDS COMPLIANCE



| | |
|-----------------------|---------------|
| Buy America Standards | CE Recognized |
| ECE Reg 10 | ECE Reg 65 |
| Eco Friendly | IEC IP67 |
| IEC IP69K | SAE J845 |
| UL Recognized | |

PHOTOMETRIC SPECIFICATIONS

| | |
|------------------------|--|
| Candela Output | 560 |
| Beam Pattern(s) | Warning - Rotating Warning Warning - Strobe |
| Flash Rate 1 | Beacon |
| Flash Rate 2 | Quadruple 480 |
| Flash Rate 3 | Fast 540 |
| Flash Rate 4 | Double 240 |
| Flash Rate 5 | Burst 300 |
| Flash Rate 6 | Steady Flash 60 |

APPLICATIONS



Print date: 2018-02-20

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

LED Strobe Lights - Model 407

ACCESSORIES



Part Number
0728301

Pipe Mount with Fold-Down Bracket for DIN Pole Mount



Part Number
0728311

Pipe Mount with L Bracket for DIN Pole Mount



Part Number
0728321

Pipe Mount with Straight Bracket for DIN Pole Mount



Part Number
0728331

Pipe Mount with Threaded Pipe Mount for DIN Pole Mount



Part Number
0728341

Pipe Mount with Weld-on Bracket for DIN Pole Mount



Part Number
8200213

DIN Pole Mount for 406 & 407 LED Strobe Lights

RELATED PRODUCTS



Part Number
0646491

12-80V LED Amber Class I Strobe Light



Part Number
0646551

12-80V LED Blue Class I Strobe Light



Part Number
0646561

12-80V LED Red Class I Strobe Light



Part Number
0646571

12-80V LED Green Class I Strobe Light



Part Number
0646891

12-80V LED Amber Class I Strobe Light with Magnet Mount

Print date: 2018-02-20

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660