


# LED Work Light - Model 523

## PRODUCT INFORMATION

<b>Description</b>	12-24V LED Work Light with Narrow Flood Beam Pattern
<b>Height</b>	177.55 mm / 6.99 in
<b>Width</b>	253.75 mm / 9.99 in
<b>Depth</b>	88.90 mm / 3.5 in
<b>Shape</b>	Rectangular
<b>Outer Lens Material</b>	Glass
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Die-Cast Aluminum
<b>Housing Color</b>	Black
<b>Mounting Hardware Description</b>	(x1) 1/2"-Mounting Bolt
<b>Mounting Type</b>	Universal Pedestal Mount
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Connector or Wiring</b>	Integrated 2-Pin Deutsch Weather-Proof Socket (DT04-2P)
<b>Product Weight</b>	6.72 lbs / 3.05 kgs
<b>Shipping Weight</b>	8.40 lbs / 3.81 kgs



## PRODUCT DIMENSIONS



Print date: 2018-04-19

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

**J.W. SPEAKER**   
 Engineered. Lighting. Solutions.

# LED Work Light - Model 523

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12-24 V
<b>Current Draw</b>	6.7A @ 12V 3.7A @ 24V

## REGULATORY STANDARDS COMPLIANCE




Buy America Standards  
IEC IP67

Eco Friendly

## PHOTOMETRIC SPECIFICATIONS

<b>Raw Lumen Output</b>	8,100
<b>Effective Lumen Output</b>	3,900
<b>Nominal LED Color Temperature</b>	5000 K
<b>Beam Pattern(s)</b>	Forward Lighting - Flood (Narrow)



## APPLICATIONS



Print date: 2018-04-19

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Work Light - Model 523

## RELATED PRODUCTS

---



**Part Number**  
**0549631**

12-24V LED Work Light with Wide Flood Beam Pattern & Yellow Housing



**Part Number**  
**0549641**

12-24V LED Work Light with Narrow Flood Beam Pattern & Yellow Housing



**Part Number**  
**0551431**

12-24V LED Work Light with Medium Flood Beam Pattern



**Part Number**  
**0551451**

12-24V LED Work Light with Wide Flood Beam Pattern