

# LED Work Light - Model 526

## PRODUCT INFORMATION

---

|                                      |                                                                                   |
|--------------------------------------|-----------------------------------------------------------------------------------|
| <b>Description</b>                   | 12-24V LED Work Light with Black Housing, Polycarbonate Lens & Flood Beam Pattern |
| <b>Height</b>                        | 160.02 mm / 6.3 in                                                                |
| <b>Width</b>                         | 157.48 mm / 6.2 in                                                                |
| <b>Depth</b>                         | 96.52 mm / 3.8 in                                                                 |
| <b>Shape</b>                         | Square                                                                            |
| <b>Outer Lens Material</b>           | Polycarbonate                                                                     |
| <b>Outer Lens Color</b>              | Clear                                                                             |
| <b>Housing Material</b>              | Die-Cast Aluminum                                                                 |
| <b>Housing Color</b>                 | Black                                                                             |
| <b>Mounting Hardware Description</b> | (x1) M10-1.5 x 25 Mounting Bolt                                                   |
| <b>Mounting Type</b>                 | Universal Pedestal Mount                                                          |
| <b>Minimum Operating Temperature</b> | -40 °C / -40 °F                                                                   |
| <b>Maximum Operating Temperature</b> | 65 °C / 149 °F                                                                    |
| <b>Connector or Wiring</b>           | iCONN Connector - iMATE23                                                         |
| <b>Product Weight</b>                | 4.50 lbs / 2.04 kgs                                                               |
| <b>Shipping Weight</b>               | 5.00 lbs / 2.27 kgs                                                               |



---

**Print date: 2017-10-18**

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**   
Engineered. Lighting. Solutions.

# LED Work Light - Model 526

## PRODUCT DIMENSIONS



## ELECTRICAL SPECIFICATIONS

|                          |                                  |
|--------------------------|----------------------------------|
| <b>Input Voltage</b>     | 12-24V DC                        |
| <b>Operating Voltage</b> | 10-32V DC                        |
| <b>Red Wire</b>          | Positive                         |
| <b>Black Wire</b>        | Negative                         |
| <b>Current Draw</b>      | 9.00A @ 12V DC<br>5.00A @ 24V DC |

## REGULATORY STANDARDS COMPLIANCE



Buy America Standards  
IEC IP69K

Eco Friendly

Print date: 2017-10-18


© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
Engineered. Lighting. Solutions.

# LED Work Light - Model 526

## PHOTOMETRIC SPECIFICATIONS

|                                      |                                     |
|--------------------------------------|-------------------------------------|
| <b>Raw Lumen Output</b>              | 9,000                               |
| <b>Effective Lumen Output</b>        | 5,800                               |
| <b>Nominal LED Color Temperature</b> | 5700 K                              |
| <b>Beam Pattern(s)</b>               | Forward Lighting - Flood (Standard) |



## APPLICATIONS



Print date: 2017-10-18

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660



# LED Work Light - Model 526

## RELATED PRODUCTS

---



**Part Number**  
**1300051**

12-24V LED Work Light with Yellow Housing, Glass Lens & Anti-Glare Beam Pattern



**Part Number**  
**1300061**

12-24V LED Work Light with Yellow Housing, Glass Lens & Flood Beam Pattern



**Part Number**  
**1300071**

12-24V LED Work Light with Yellow Housing, Glass Lens & Trapezoid Beam Pattern



**Part Number**  
**1300081**

12-24V LED Work Light with Yellow Housing, Glass Lens & Spot Beam Pattern



**Part Number**  
**1300191**

12-24V LED Work Light with Yellow Housing, Polycarbonate Lens & Anti-Glare Beam Pattern



**Part Number**  
**1300201**

12-24V LED Work Light with Yellow Housing, Polycarbonate Lens & Flood Beam Pattern



**Part Number**  
**1300211**

12-24V LED Work Light with Yellow Housing, Polycarbonate Lens & Trapezoid Beam Pattern



**Part Number**  
**1300221**

12-24V LED Work Light with Yellow Housing, Polycarbonate Lens & Spot Beam Pattern