


LED Work Light - Model 623

PRODUCT INFORMATION

Description	16-60V LED Work Light with Narrow Flood Beam Pattern
Height	216.41 mm / 8.52 in
Width	498.60 mm / 19.63 in
Depth	88.90 mm / 3.5 in
Shape	Rectangular
Outer Lens Material	Glass
Outer Lens Color	Clear
Housing Material	Die-Cast Aluminum
Housing Color	Black
Mounting Type	Universal Pedestal Mount
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Product Weight	18.00 lbs / 8.16 kgs
Shipping Weight	19.63 lbs / 8.9 kgs
Additional Information	Wire Harness: SJ000W 6m Harness



PRODUCT DIMENSIONS



Print date: 2018-08-18

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
 Engineered. Lighting. Solutions.

LED Work Light - Model 623

ELECTRICAL SPECIFICATIONS

Input Voltage	24-48V DC
Operating Voltage	16-60V DC
Transient Spike Protection	150V peak @ 1 HZ-100 Pulses
Current Draw	10A @ 24V DC 5A @ 48V DC


REGULATORY STANDARDS COMPLIANCE



Buy America Standards	Eco Friendly
IEC IP67	IEC IP69K
UL Recognized	

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	40,000
Effective Lumen Output	20,000
Nominal LED Color Temperature	5700 K
Beam Pattern(s)	Forward Lighting - Flood (Narrow)



Print date: 2018-08-18

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.

LED Work Light - Model 623

APPLICATIONS



RELATED PRODUCTS



Part Number
0546681

16-60V LED Work Light
with Medium Flood
Beam Pattern



Part Number
0546691

16-60V LED Work Light
with Wide Flood Beam
Pattern