


LED Work Light - Model 623

PRODUCT INFORMATION

Description	16-60V LED Work Light with Wide Flood Beam Pattern
Height	216.41 mm / 8.52 in
Width	498.60 mm / 19.63 in
Depth	88.90 mm / 3.5 in
Shape	Rectangular
Outer Lens Material	Glass
Outer Lens Color	Clear
Housing Material	Die-Cast Aluminum
Housing Color	Black
Mounting Type	Universal Pedestal Mount
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Product Weight	18.00 lbs / 8.16 kgs
Shipping Weight	19.63 lbs / 8.9 kgs
Additional Information	Wire Harness: SJ000W 6m Harness



PRODUCT DIMENSIONS



Print date: 2024-04-26

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
 Engineered. Lighting. Solutions.

LED Work Light - Model 623

ELECTRICAL SPECIFICATIONS

Input Voltage	24-48V DC
Operating Voltage	16-60V DC
Transient Spike Protection	150V peak @ 1 HZ-100 Pulses
Current Draw	10A @ 24V DC 5A @ 48V DC

REGULATORY STANDARDS COMPLIANCE




Buy America Standards
IEC IP67

Eco Friendly
IEC IP69K

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	40,000
Effective Lumen Output	20,000
Nominal LED Color Temperature	5700 K
Beam Pattern(s)	Forward Lighting - Flood (Wide)



APPLICATIONS



Print date: 2024-04-26

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Work Light - Model 623

PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

RELATED PRODUCTS



Part Number
0546671

16-60V LED Work Light
with Narrow Flood
Beam Pattern



Part Number
0546681

16-60V LED Work Light
with Medium Flood
Beam Pattern