LED Work Light - Model 670 XD

PRODUCT INFORMATION

Description 12-24V LED Work Light with Spot Beam

Pattern

 Height
 162.31 mm / 6.39 in

 Width
 123.95 mm / 4.88 in

 Depth
 52.58 mm / 2.07 in

Shape Round

Outer Lens Material Polycarbonate

Outer Lens Color Clear

Housing Material Polycarbonate

Housing Color Black

Mounting Hardware Description (x1) M8-1.25 x 20mm Mounting Bolt

Mounting Type Universal Pedestal Mount

Minimum Operating -40 °C / -40 °F

Temperature

Maximum Operating $65 \, ^{\circ}\text{C} \, / \, 149 \, ^{\circ}\text{F}$

Temperature


Connector or Wiring Integrated 2-Pin Deutsch Weather-Proof


Socket (DT04-2P)

Mating Connector 2-Pin Deutsch Weather-Proof Plug

(DT06-2S)

PRODUCT DIMENSIONS









LED Work Light - Model 670 XD

ELECTRICAL SPECIFICATIONS

Input Voltage12-24V DCOperating Voltage10-30V DC

Transient Spike Protection 330V Peak @ 1 HZ-100 Pulses

Red WirePositiveBlack WireNegativeCurrent Draw1.3A @ 12V DC

0.6A @ 24V DC

REGULATORY STANDARDS COMPLIANCE









Buy America Standards CISPR 12
CISPR 22 Eco Friendly
IEC IP69K SAE J1113-13
Tested to ECE Reg. 10
(Radiated Emissions only)

PHOTOMETRIC SPECIFICATIONS


Raw Lumen Output 1,080 **Effective Lumen** 780

Output

Nominal LED Color 5000 K

Temperature

Beam Pattern(s) Forward Lighting - Spot





LED Work Light - Model 670 XD

APPLICATIONS



















ACCESSORIES



Part Number 8200011

Magnet Mount Kit for XD Series Work Lights

RELATED PRODUCTS



Part Number 1403241

with Flood Beam Pattern



Part Number 1403251

12-24V LED Work Light 12-24V LED Work Light 12-110V LED Work with Trapezoid Beam Pattern



Part Number 1403271

Light with Trapezoid Beam Pattern



Part Number 1403281

12-110V LED Work Light with Spot Beam Pattern



Part Number 1403291

12-110V LED Work Light with Flood Beam Pattern

Print date: 2017-06-23



