PRODUCT INFORMATION

Description Height Width Depth Shape **Outer Lens Material Outer Lens Color Housing Material Housing Color Mounting Hardware** Description Mounting Type **Minimum Operating** Temperature **Maximum Operating** Temperature **Connector or Wiring Mating Connector**

Product Weight Shipping Weight 12-24V LED Amber Work Light 180.34 mm / 7.1 in 99.57 mm / 3.92 in 51.05 mm / 2.01 in Oval Polycarbonate Amber Polycarbonate Black (x1) 5/16"-18 x 1.00" Mounting Bolt Universal Pedestal Mount -40 °C / -40 °F 65 °C / 149 °F Integrated 2-Pin Deutsch Weather-Proof Socket (DT04-2P) 2-Pin Deutsch Weather-Proof Plug (DT06-2S)


0.75 lbs / 0.34 kgs

6.69 lbs / 3.03 kgs





PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	12-48V DC
Operating Voltage	10-55V DC
Transient Spike Protection	330V Peak @ 1 HZ-100 Pulses
Red Wire	Positive
Black Wire	Negative
Current Draw	1.00A @ 12V DC 0.48A @ 24V DC 0.33A @ 36V DC 0.25A @ 48V DC



REGULATORY STANDARDS COMPLIANCE



Buy America StandardsCISPR 12CISPR 22Eco FriendlyIEC IP67SAE J974Tested to ECE Reg. 10UL Recognized(Radiated Emissions only)Vertical State

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	900
Effective Lumen Output	700
Beam Pattern(s)	Warning - Flashing Warning

APPLICATIONS





PRODUCT WARNINGS

For California residents: WARNING: Cancer and reproductive harm - <u>www.P65Warnings.ca.gov</u>. AVERTISSEMENT: Cancer et effet nocif sur la reproduction - <u>www.P65Warnings.ca.gov</u>.

Print date: 2024-04-26 © 2024 J.W. Speaker Corporation • Germantown, WI U.S.A. www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660



ACCESSORIES





Part Number 8200011 Magnet Mount Kit for XD Series Work Lights

Part Number 8200101 Stainless Steel Mounting Kit for Work Lights & Marine Lights

RELATED PRODUCTS



Part Number 1705911 12-48V LED Work Light 12-48V LED Work Light 12-48V LED Work Light with Flood Beam Pattern



Part Number 1706171 with Vertical Flood **Beam Pattern**



Part Number 1706191 with Spot Beam Pattern

