


LED Work Light - Model 840 XD

PRODUCT INFORMATION

| | |
|--------------------------------------|-------------------------------------------------------------------------------|
| Description | 12-110V LED Work Light with Trapezoid Beam Pattern & Integrated AMP Connector |
| Height | 154.18 mm / 6.07 in |
| Width | 113.28 mm / 4.46 in |
| Depth | 54.10 mm / 2.13 in |
| Shape | Square |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Clear |
| Housing Material | Polycarbonate |
| Housing Color | Black |
| Mounting Hardware Description | (x1) 5/16"-18 x 1.00" Mounting Bolt |
| Mounting Type | Universal Pedestal Mount |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | Integrated AMP Connector |
| Shipping Weight | 0.86 lbs / 0.39 kgs |



PRODUCT DIMENSIONS



Print date: 2017-10-23

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
 Engineered. Lighting. Solutions.

LED Work Light - Model 840 XD

ELECTRICAL SPECIFICATIONS

| | |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------|
| Input Voltage | 12-110V DC |
| Operating Voltage | 10-130V DC |
| Transient Spike Protection | 330V Peak @ 1 HZ-100 Pulses |
| Red Wire | Positive |
| Black Wire | Negative |
| Current Draw | 1.00A @ 12V DC 0.50A @ 24V DC 0.33A @ 36V DC 0.25A @ 48V DC 0.16A @ 80V DC 0.13A @ 110V DC |

REGULATORY STANDARDS COMPLIANCE



Buy America Standards
CISPR 22
IEC IP69K
Tested to ECE Reg. 10
(Radiated Emissions only)

CISPR 12
Eco Friendly
SAE J1113-13
UL Recognized

Print date: 2017-10-23


© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
Engineered. Lighting. Solutions.

LED Work Light - Model 840 XD

PHOTOMETRIC SPECIFICATIONS

| | |
|--------------------------------------|------------------------------|
| Raw Lumen Output | 1,080 |
| Effective Lumen Output | 780 |
| Nominal LED Color Temperature | 5000 K |
| Beam Pattern(s) | Forward Lighting - Trapezoid |



APPLICATIONS



ACCESSORIES



Part Number **820001**

Magnet Mount Kit for
XD Series Work Lights

Print date: 2017-10-23

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Work Light - Model 840 XD

RELATED PRODUCTS



Part Number
1300001

12-24V LED Work Light with Flood Beam Pattern



Part Number
1300011

12-24V LED Work Light with Trapezoid Beam Pattern



Part Number
1300021

12-24V LED Work Light with Spot Beam Pattern



Part Number
1300031

12-110V LED Work Light with Trapezoid Beam Pattern & Integrated 2-Pin Deutsch Connector



Part Number
1300091

12-110V LED Work Light with Flood Beam Pattern



Part Number
1300101

12-110V LED Work Light with Spot Beam Pattern



Part Number
1300301

12-48V LED Work Light with Left Hand Vertical Flood Beam Pattern



Part Number
1300311

12-48V LED Work Light with Right Hand Vertical Flood Beam Pattern

Print date: 2017-10-23

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660