PRODUCT INFORMATION

Description 12-24V LED Work Light with Trapezoid

Beam Pattern & On/Off Switch

 Height
 133.35 mm / 5.25 in

 Width
 137.16 mm / 5.4 in

 Depth
 47.75 mm / 1.88 in

ShapeRectangularOuter Lens MaterialPolycarbonate

Outer Lens Color Clear

Housing Material Polycarbonate

Housing Color Black

Mounting Hardware Description (x1) 5/16"-18 x 1.00" Mounting Bolt

Mounting Type Universal Pedestal Mount

Minimum Operating -40 °C / -40 °F

Temperature

Maximum Operating 65 °C / 149 °F

Temperature

Connector or Wiring Integrated 2-Pin Deutsch Weather-Proof

Socket (DT04-2P)


Mating Connector 2-Pin Deutsch Weather-Proof Plug

(DT06-2S)

Product Weight 1.16 lbs / 0.53 kgs **Shipping Weight** 2.16 lbs / 0.98 kgs



PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage12-24V DCOperating Voltage9-32V DC

Transient Spike Protection 330V Peak @ 1 HZ-100 Pulses

Red Wire Positive Black Wire Negative

Current Draw 1.20A @ 12V DC 0.60A @ 24V DC

REGULATORY STANDARDS COMPLIANCE










Buy America Standards IEC IP69K

Tested to ECE Reg. 10 (Radiated Emissions only)

Eco Friendly SAE J1455



PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output 1,680 **Effective Lumen** 700


Output

Nominal LED Color

Temperature

Beam Pattern(s)

5000 K Forward Lighting - Trapezoid



APPLICATIONS




















ACCESSORIES



Part Number 8200011 Magnet Mount Kit for XD Series Work Lights





RELATED PRODUCTS



Part Number 1603241 12-24V LED Work Light with Spot Beam Pattern



Part Number 1603251 12-24V LED Work Light with Trapezoid Beam Pattern



Part Number 1603261 12-24V LED Work Light with Flood Beam Pattern



Part Number 1603311 12-24V LED Work Light with Spot Beam Pattern & On/Off Switch



Part Number 1603331 12-24V LED Work Light with Flood Beam Pattern & On/Off Switch