

LED Jeep Fog Lights - Model 6150 J Series

PRODUCT INFORMATION

Description	12V SAE/ECE RHT & LHT Fog Light with Black Inner Bezel & Black Housing - 2 Light Kit
Height	121.16 mm / 4.77 in
Width	100.33 mm / 3.95 in
Depth	68.33 mm / 2.69 in
Shape	Round
Outer Lens Material	Hardcoated Polycarbonate
Outer Lens Color	Clear
Housing Material	Die-Cast Aluminum
Housing Color	Black
Bezel Color	Black
Mounting Hardware Description	(x1) M8-1.25 x 25 SS Mounting Bolt
Mounting Type	Universal Pedestal Mount
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	Wire Leads
Product Weight	0.99 lbs / 0.45 kgs




Print date: 2017-06-26

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
 Engineered. Lighting. Solutions.

LED Jeep Fog Lights - Model 6150 J Series

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	12V DC
Operating Voltage	10-15V DC
Transient Spike Protection	150V Peak @ 1 HZ-100 Pulses
Red Wire	Positive
Black Wire	Negative
Current Draw	1.5A @ 12V DC

REGULATORY STANDARDS COMPLIANCE



Buy America Standards
Eco Friendly
SAE J583

ECE Reg 19
IEC IP67

Print date: 2017-06-26


© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.


LED Jeep Fog Lights - Model 6150 J Series

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	1,080
Effective Lumen Output	610
Nominal LED Color Temperature	5000 K
Beam Pattern(s)	Forward Lighting - Fog



APPLICATIONS



RELATED PRODUCTS



Part Number
0550881

12V SAE/ECE RHT & LHT Fog Light with Chrome Inner Bezel & Black Housing - 2 Light Kit



Part Number
0550901

12V SAE/ECE RHT & LHT Fog Light with Chrome Inner Bezel & Nickel Housing - 2 Light Kit

Print date: 2017-06-26

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660