


Portable LED Work Light - Model 523

PRODUCT INFORMATION

Description	OBS - 120V Portable LED Work Light with Medium Flood Beam Pattern
Height	279.15 mm / 10.99 in
Width	287.02 mm / 11.3 in
Depth	127.00 mm / 5 in
Shape	Rectangular
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Die-Cast Aluminum
Housing Color	Black
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	Integrated NEMA 5-15 Plug (120V Version); 10m Power Cord with Cigarette Lighter Plug (12V Version)
Product Weight	7.00 lbs / 3.18 kgs



PRODUCT DIMENSIONS



Print date: 2017-05-24

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
 Engineered. Lighting. Solutions.

Portable LED Work Light - Model 523

ELECTRICAL SPECIFICATIONS

Input Voltage	120V AC
Operating Voltage	120V AC
Transient Spike Protection	150V Peak @ 1 HZ-10 Pulses
Red Wire	Positive
Black Wire	Negative
Current Draw	0.60A @ 120V AC

REGULATORY STANDARDS COMPLIANCE




Buy America Standards
IEC IP67

Eco Friendly

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	8,100
Effective Lumen Output	3,900
Nominal LED Color Temperature	4750 K
Beam Pattern(s)	Forward Lighting - Flood (Medium)



Print date: 2017-05-24

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

Portable LED Work Light - Model 523

APPLICATIONS



Construction



Industrial



Mining



Off-Road 4x4



Railroad



Specialty



Truck & Bus

RELATED PRODUCTS



Part Number
0545451

OBS - 120V Portable LED Work Light with Wide Flood Beam Pattern



Part Number
0545521

OBS - 120V Portable LED Work Light with Narrow Flood Beam Pattern