


Portable LED Work Light - Model 523

PRODUCT INFORMATION

| | |
|--------------------------------------|--|
| Description | OBS - 120V Portable LED Work Light with Medium Flood Beam Pattern |
| Height | 279.15 mm / 10.99 in |
| Width | 287.02 mm / 11.3 in |
| Depth | 127.00 mm / 5 in |
| Shape | Rectangular |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Clear |
| Housing Material | Die-Cast Aluminum |
| Housing Color | Black |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | Integrated NEMA 5-15 Plug (120V Version); 10m Power Cord with Cigarette Lighter Plug (12V Version) |
| Product Weight | 7.00 lbs / 3.18 kgs |



PRODUCT DIMENSIONS



Print date: 2017-08-23

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
 Engineered. Lighting. Solutions.

Portable LED Work Light - Model 523

ELECTRICAL SPECIFICATIONS

| | |
|-----------------------------------|----------------------------|
| Input Voltage | 120V AC |
| Operating Voltage | 120V AC |
| Transient Spike Protection | 150V Peak @ 1 HZ-10 Pulses |
| Red Wire | Positive |
| Black Wire | Negative |
| Current Draw | 0.60A @ 120V AC |

REGULATORY STANDARDS COMPLIANCE




Buy America Standards
IEC IP67

Eco Friendly

PHOTOMETRIC SPECIFICATIONS

| | |
|--------------------------------------|-----------------------------------|
| Raw Lumen Output | 8,100 |
| Effective Lumen Output | 3,900 |
| Nominal LED Color Temperature | 4750 K |
| Beam Pattern(s) | Forward Lighting - Flood (Medium) |



Print date: 2017-08-23

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

Portable LED Work Light - Model 523

APPLICATIONS



RELATED PRODUCTS



Part Number
0545451

OBS - 120V Portable
LED Work Light with
Wide Flood Beam
Pattern



Part Number
0545521

OBS - 120V Portable
LED Work Light with
Narrow Flood Beam
Pattern