# PRODUCT INFORMATION

**Description** 12V DOT/ECE Symmetric Motorcycle

Headlight - (Bulk Qty. x 16 lights)

 Height
 90.00 mm / 3.54 in

 Width
 90.00 mm / 3.54 in

 Depth
 126.04 mm / 4.96 in

Shape Round

Outer Lens Material Polycarbonate

Outer Lens ColorClearHousing MaterialAluminumHousing ColorBlack

Minimum Operating -40 °C / -40 °F

**Temperature** 

**Maximum Operating** 65 °C / 149 °F


**Temperature** 


Mating ConnectorDeutsch DT06-6SProduct Weight1.18 lbs / 0.54 kgsShipping Weight22.00 lbs / 9.98 kgs







## **PRODUCT DIMENSIONS**











## **ELECTRICAL SPECIFICATIONS**

Input Voltage12V DCOperating Voltage9-16V DC

**Transient Spike Protection** 150V Peak @ 1 HZ-100 Pulses

Yellow Wire Low Beam
Red Wire Front Position

Blue Wire DRL
Black Wire Ground
White Wire High Beam

Current Draw 1.13A @ 12V DC (Low Beam) 1.45A @ 12V DC (High Beam)

0.111A @ 12V DC (Front Position)

1.00A @ 12V DC (DRL)

#### REGULATORY STANDARDS COMPLIANCE











Buy America Standards ECE Reg 10

ECE Reg 148 - MA ECE Reg 148 - R1

ECE Reg 149 - WC-DS ECE Reg 149 - WR-DS

ECO Friendly IEC IP67

IEC IP69K

## PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output 2650(High Beam), 1750(Low

Beam)

Effective Lumen 750(High Beam), 610(Low Beam)

Output

Candela Output 44,000(High Beam), 23,000(Low

Beam) 5665 K

**Nominal LED Color** 

Temperature

**Beam Pattern(s)** Forward Lighting - Daytime

Running Light


Forward Lighting - High Beam


(ECE)

Forward Lighting - Low Beam

(DOT/ECE)

Signalization - Front Position





#### **APPLICATIONS**





# **ADDITIONAL INFORMATION**

3-point Mount for 1.5mm Mounting Frame is applicable for

- PN 0554381
- PN 0553071
- PN 0553091
- PN 0553101
- PN 0553081
- PN 0556701
- PN 0347941

3-point Mount for 3mm Mounting Frame is applicable for

- • All Model 93 Lighting Options

LAMP IS NOT SUPPLIED WITH A HARNES

## **PRODUCT WARNINGS**

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.



## **ACCESSORIES**



**Part Number** 3271981 5 Function Wire Assembly for Model 93



**Part Number** 3272001 SAE/DOT Motorcycle Wire Assembly without Assembly without DI DI/DRL for Model 93



**Part Number** 3272011 ECE Motorcycle Wire for Model 93



**Part Number** 8001461 90mm Light 3-Point Mount for 1.5mm Mounting Frame



**Part Number** 8001471 90mm Light 3-Point Mount for 3mm Mounting Frame



**Part Number** 8001601 Pedestal Mounting Bracket for Model 93 Single Lamp



**Part Number** 8001621 **Pedestal Mounting** Bracket for Model 93 Double Lamp



**Part Number** 8201021 90mm 3-Point Lock Mount for 3mm Mounting Frame

## **RELATED PRODUCTS**



Part Number 0347941 12-24V SAE/ECE LED Turn Signal with DRL Function



Part Number 0530091 12-24V DOT/ECE RHT LED High & Low Beam Headlight with Front Position



Part Number 0530101 12-24V ECE LHT LED High & Low Beam Headlight with Front Position



Part Number 0553071 12-24V DOT/ECE LED High Beam Headlight



Part Number 0553081 12-24V DOT/ECE Symmetric LED Low Beam Headlight



Part Number 0553091 12-24V ECE LHT LED Low Beam Headlight



Part Number 0553101 12-24V DOT/ECE RHT LED Low Beam Headlight



Part Number 0554381 12-24V DOT/ECE LED High Beam Headlight with Front Position