LED Compact Work Light - Model 792

PRODUCT INFORMATION

Description 12/24V Compact LED Work Light with

Pedestal Mount

 Height
 76.10 mm / 3 in

 Width
 98.80 mm / 3.89 in

 Depth
 43.40 mm / 1.71 in

ShapeRectangularOuter Lens MaterialPolycarbonate

Outer Lens ColorClearHousing MaterialAluminumHousing ColorBlack

Mounting Hardware (x1) 5/16"-18 x 1.00" Mounting Bolt

DescriptionBracketMounting TypePedestalMinimum Operating-40 °C / -40 °F

Temperature

Maximum Operating 65 °C / 149 °F

Temperature

Mating Connector JAE Connector MX19A003S51 harness

included with flying leads

Product Weight 0.40 lbs / 0.18 kgs **Shipping Weight** 7.19 lbs / 3.26 kgs









LED Compact Work Light - Model 792

PRODUCT DIMENSIONS





ELECTRICAL SPECIFICATIONS

Input Voltage 12-24V DC 9-30V DC **Operating Voltage**

Transient Spike Protection 330V Peak @ 1 HZ-100 Pulses

Red Wire Power **Black Wire** Ground

Current Draw 2.2A @ 12V DC (Power) 1.0A @ 24V DC (Power)

REGULATORY STANDARDS COMPLIANCE











Buy America Standards Eco Friendly IEC IP69K

ECE Reg 10 IEC IP67

Tested to ECE Reg. 10

(Radiated Emissions only)

Print date: 2024-04-25



LED Compact Work Light - Model 792


PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output 3630 **Effective Lumen** 2000

Output

Candela Output 2900 **Nominal LED Color** 5050 K

Temperature



APPLICATIONS

















PRODUCT WARNINGS

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

RELATED PRODUCTS



Part Number 1603931 36/90V Compact LED

Work Light with Pedestal Mount



Part Number 1603932

36/90V Compact LED Work Light with Pedestal Mount (BULK with Harness)



Part Number 1603951

12/24V Compact LED Work Light with Panel Mount



Part Number 1603971

36/90V Compact LED Work Light with Panel Mount

Print date: 2024-04-25

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A. www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

