

LED Compact Work Light - Model 792

PRODUCT INFORMATION

Description	36-80V LED Compact Work Light with Pedestal Mount (BULK with Harness)
Height	76.10 mm / 3 in
Width	98.80 mm / 3.89 in
Depth	43.40 mm / 1.71 in
Shape	Rectangular
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Aluminum
Housing Color	Black
Mounting Hardware Description	(x1) 5/16"-18 x 1.00" Mounting Bolt Bracket
Mounting Type	Pedestal
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Mating Connector	JAE Connector MX19A003S51 harness included with flying leads
Product Weight	0.42 lbs / 0.19 kgs
Shipping Weight	11.13 lbs / 5.05 kgs




Print date: 2025-07-01

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.

LED Compact Work Light - Model 792


PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	36-80V DC
Operating Voltage	30-95V DC
Transient Spike Protection	330V Peak @ 1 HZ-100 Pulses
Red Wire	Power
Black Wire	Ground
Current Draw	0.75A @ 36V DC (Power) 0.56A @ 48V DC (Power) 0.34A @ 80V DC (Power)

REGULATORY STANDARDS COMPLIANCE



IEC IP67

IEC IP69K

Print date: 2025-07-01


© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.

LED Compact Work Light - Model 792

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	3630
Effective Lumen Output	2000
Candela Output	2900
Nominal LED Color Temperature	5050 K



APPLICATIONS



PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

Print date: 2025-07-01

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
 Engineered. Lighting. Solutions.

LED Compact Work Light - Model 792

ACCESSORIES



Part Number
8201241

DIN Pole Mount for
Work Lights

RELATED PRODUCTS



Part Number
1603921

12-24V LED Compact
Work Light with
Pedestal Mount



Part Number
1603931

36-80V LED Compact
Work Light with
Pedestal Mount



Part Number
1603951

12-24V LED Compact
Work Light with Panel
Mount



Part Number
1603971

36-80V LED Compact
Work Light with Panel
Mount



Part Number
1604241

12-24V LED Anti-Glare,
Eco-Friendly Work
Light with Pedestal
Mount and Harness