

## LED Compact Work Light - Model 792


#### **PRODUCT INFORMATION**

Description	12/24V Compact LED Work Light with Panel Mount	
Height	82.06 mm / 3.23 in	
Width	98.80 mm / 3.89 in	No. Contraction of the second se
Depth	43.40 mm / 1.71 in	
Shape	Rectangular	
Outer Lens Material	Polycarbonate	
Outer Lens Color	Clear	TAL OF SAL
Housing Material	Aluminum	
Housing Color	Black	
Mounting Type	Panel	
Minimum Operating Temperature	-40 °C / -40 °F	
Maximum Operating Temperature	65 °C / 149 °F	
Mating Connector	JAE Connector MX19A003S51 harness included with flying leads	MODEL
Product Weight	0.40 lbs / 0.18 kgs	
Shipping Weight	7.19 lbs / 3.26 kgs	

#### **PRODUCT DIMENSIONS**







#### Print date: 2024-04-20 © 2024 J.W. Speaker Corporation • Germantown, WI U.S.A. www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660



### LED Compact Work Light - Model 792

#### **ELECTRICAL SPECIFICATIONS**


Input Voltage	12-24V DC
Operating Voltage	9-30V DC
Transient Spike Protection	330V Peak @ 1 HZ-100 Pulses
Red Wire	Power
Black Wire	Ground
Current Draw	2.2A @ 12V DC (Power) 1.0A @ 24V DC (Power)

#### **REGULATORY STANDARDS COMPLIANCE**



Buy America Standards Eco Friendly IEC IP69K ECE Reg 10 IEC IP67 Tested to ECE Reg. 10 (Radiated Emissions only)

#### **PHOTOMETRIC SPECIFICATIONS**





# LED Compact Work Light - Model 792

#### **APPLICATIONS**



#### **PRODUCT WARNINGS**

For California residents:

**WARNING:** Cancer and reproductive harm - <u>www.P65Warnings.ca.gov</u>.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - <u>www.P65Warnings.ca.gov</u>.

### **RELATED PRODUCTS**



Part Number 1603921 12/24V Compact LED Work Light with Pedestal Mount



Part Number 1603931 36/90V Compact LED Work Light with Pedestal Mount



Part Number 1603932 36/90V Compact LED Work Light with Pedestal Mount (BULK with Harness)



Part Number 1603971 36/90V Compact LED Work Light with Panel Mount

