# LED Compact Work Light - Model 792

# PRODUCT INFORMATION

**Description** 36-80V LED Compact Work Light with

Panel Mount

82.06 mm / 3.23 in Height Width 98.80 mm / 3.89 in **Depth** 43.40 mm / 1.71 in

**Shape** Rectangular Polycarbonate **Outer Lens Material** 

**Outer Lens Color** Clear **Aluminum Housing Material Housing Color** Black **Panel Mounting Type** 

-40 °C / -40 °F **Minimum Operating** 

**Temperature** 

**Maximum Operating** 65 °C / 149 °F

**Temperature** 

JAE Connector MX19A003S51 harness **Mating Connector** 


included with flying leads


**Product Weight** 0.40 lbs / 0.18 kgs **Shipping Weight** 7.19 lbs / 3.26 kgs







#### PRODUCT DIMENSIONS









# LED Compact Work Light - Model 792

# **ELECTRICAL SPECIFICATIONS**

Input Voltage36-80V DCOperating Voltage30-95V DC

**Transient Spike Protection** 330V Peak @ 1 HZ-100 Pulses

Red Wire Power
Black Wire Ground

**Current Draw** 0.75A @ 36V DC (Power)

0.56A @ 48V DC (Power) 0.34A @ 80V DC (Power)

# **REGULATORY STANDARDS COMPLIANCE**









Buy America Standards Eco Friendly IEC IP67 IEC IP69K


# PHOTOMETRIC SPECIFICATIONS

**Raw Lumen Output** 3630 **Effective Lumen** 2000

**Output** 

Candela Output 2900 Nominal LED Color 5050 K

**Temperature** 



# LED Compact Work Light - Model 792

# **APPLICATIONS**















# **PRODUCT WARNINGS**

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

### **ACCESSORIES**



Part Number 8201241 DIN Pole Mount for Work Lights

### **RELATED PRODUCTS**



Part Number 1603921 12-24V LED Compact Work Light with Pedestal Mount



Part Number 1603931 36-80V LED Compact Work Light with Pedestal Mount



**Part Number** 

1603932 36-80V LED Compact Work Light with Pedestal Mount (BULK with Harness)



Part Number 1603951 12-24V LED Compact Work Light with Panel Mount



Part Number 1604241 12-24V LED Anti-Glare, Eco-Friendly Work Light with Pedestal Mount and Harness

