

# LED Compact Work Light - Model 792


## PRODUCT INFORMATION

<b>Description</b>	36-80V LED Compact Work Light with Panel Mount
<b>Height</b>	82.06 mm / 3.23 in
<b>Width</b>	98.80 mm / 3.89 in
<b>Depth</b>	43.40 mm / 1.71 in
<b>Shape</b>	Rectangular
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Aluminum
<b>Housing Color</b>	Black
<b>Mounting Type</b>	Panel
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Mating Connector</b>	JAE Connector MX19A003S51 harness included with flying leads
<b>Product Weight</b>	0.40 lbs / 0.18 kgs
<b>Shipping Weight</b>	7.19 lbs / 3.26 kgs



**MODEL**  
**792**

## PRODUCT DIMENSIONS



Print date: 2025-05-23

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER®**  
Engineered. Lighting. Solutions.

# LED Compact Work Light - Model 792

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	36-80V DC
<b>Operating Voltage</b>	30-95V DC
<b>Transient Spike Protection</b>	330V Peak @ 1 HZ-100 Pulses
<b>Red Wire</b>	Power
<b>Black Wire</b>	Ground
<b>Current Draw</b>	0.75A @ 36V DC (Power) 0.56A @ 48V DC (Power) 0.34A @ 80V DC (Power)


## REGULATORY STANDARDS COMPLIANCE



Buy America Standards	ECE Reg 10
Eco Friendly	IEC IP67
IEC IP69K	Tested to ECE Reg. 10 (Radiated Emissions only)

## PHOTOMETRIC SPECIFICATIONS

<b>Raw Lumen Output</b>	3630
<b>Effective Lumen Output</b>	2000
<b>Candela Output</b>	2900
<b>Nominal LED Color Temperature</b>	5050 K




Print date: 2025-05-23

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER®**  
Engineered. Lighting. Solutions.

# LED Compact Work Light - Model 792

## APPLICATIONS



## PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## ACCESSORIES



**Part Number**  
**8201241**

DIN Pole Mount for  
Work Lights

## RELATED PRODUCTS



**Part Number**  
**1603921**

12-24V LED Compact  
Work Light with  
Pedestal Mount



**Part Number**  
**1603931**

36-80V LED Compact  
Work Light with  
Pedestal Mount



**Part Number**  
**1603932**

36-90V LED Compact  
Work Light with  
Pedestal Mount (BULK  
with Harness)



**Part Number**  
**1603951**

12-24V LED Compact  
Work Light with Panel  
Mount



**Part Number**  
**1604241**

12-24V LED Anti-Glare,  
Eco-Friendly Work  
Light with Pedestal  
Mount and Harness

Print date: 2025-05-23

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

**J.W. SPEAKER®**  
*Engineered. Lighting. Solutions.*