LED Compact Work Light - Model 792

PRODUCT INFORMATION

Description 12-24V LED Anti-Glare, Eco-Friendly

Work Light with Pedestal Mount and

Harness

Height 76.10 mm / 3 in Width 98.80 mm / 3.89 in Depth 43.40 mm / 1.71 in

Rectangular Shape **Outer Lens Material** Polycarbonate

Outer Lens Color Clear

Aluminum Die Cast **Housing Material**

Housing Color Black

(x1) 8mm-20 x 25mm Mounting Bolt **Mounting Hardware**

Description Bracket Mounting Type Pedestal

JAE Connector MX19A003S51 harness **Mating Connector**


included with flying leads


Product Weight 0.40 lbs / 0.18 kgs **Shipping Weight** 7.19 lbs / 3.26 kgs





PRODUCT DIMENSIONS





LED Compact Work Light - Model 792

ELECTRICAL SPECIFICATIONS

Input Voltage 12-24V DC
Operating Voltage 9-30V DC
Red Wire Power
Black Wire Ground

Current Draw 1.36A @ 12V DC (Power)

0.69A @ 24V DC (Power)

REGULATORY STANDARDS COMPLIANCE





IEC IP67 IEC IP69K


PHOTOMETRIC SPECIFICATIONS

Effective Lumen 970

Output

Candela Output 4000 Nominal LED Color 1850 K

Temperature




PRODUCT WARNINGS

For California residents:

WARNING: Cancer and reproductive harm - <u>www.P65Warnings.ca.gov</u>.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.





LED Compact Work Light - Model 792

ACCESSORIES



Part Number 8201241 DIN Pole Mount for Work Lights

RELATED PRODUCTS



Part Number 1603921 12-24V LED Compact Work Light with Pedestal Mount



Part Number 1603931 36-80V LED Compact Work Light with Pedestal Mount



Part Number 1603932 36-80V LED Compact Work Light with Pedestal Mount (BULK with Harness)



Part Number 1603951 12-24V LED Compact Work Light with Panel Mount



Part Number 1603971 36-80V LED Compact Work Light with Panel Mount

