

LED Headlights – Model 8800 Evolution 2

PRODUCT INFORMATION

| | |
|--------------------------------------|--|
| Description | 12-24V DOT/ECE LED RHT Low Beam Headlight with Black Bezel |
| Height | 107.19 mm / 4.22 in |
| Width | 167.64 mm / 6.6 in |
| Depth | 84.90 mm / 3.34 in |
| Shape | Rectangular |
| Outer Lens Material | Hardcoated Polycarbonate |
| Outer Lens Color | Clear |
| Housing Material | Die-Cast Aluminum |
| Housing Color | Black |
| Bezel Color | Black |
| Mounting Type | Low-Profile Panel Mount |
| Retrofits | 1A1 and 2A1 (4" 1 6") sealed beams |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | H4 Connector - AMP (#172615-2) |
| Mating Connector | LH Terminal - AMP (#172795-1); RH Terminal - AMP (#172796-1) |
| Shipping Weight | 2.30 lbs / 1.04 kgs |




Print date: 2018-03-24

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
 Engineered. Lighting. Solutions.

LED Headlights – Model 8800 Evolution 2

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

| | |
|--------------------------|----------------------------------|
| Input Voltage | 12-24V DC |
| Operating Voltage | 9-32V DC |
| White Wire | Low Beam |
| Black Wire | Ground |
| Yellow Wire | Low Beam |
| Current Draw | 2.10A @ 12V DC 1.00A @ 24V DC |

REGULATORY STANDARDS COMPLIANCE



Buy America Standards
Eco Friendly
IEC IP69K

ECE Reg 112
FMVSS 108 Table XIX

Print date: 2018-03-24


© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

LED Headlights – Model 8800 Evolution 2

PHOTOMETRIC SPECIFICATIONS

| | |
|--------------------------------------|---|
| Raw Lumen Output | 2,830 |
| Effective Lumen Output | 782 |
| Candela Output | 29,800 |
| Nominal LED Color Temperature | 5000 K |
| Beam Pattern(s) | Forward Lighting - Low Beam (DOT) Forward Lighting - Low Beam (ECE Right Hand) |



APPLICATIONS



ACCESSORIES



Part Number
3269601

Low Beam Harness for
8800 Evolution 2
Series

Part Number
3269611

High Beam Harness for
8800 Evolution 2
Series

Print date: 2018-03-24

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Headlights – Model 8800 Evolution 2

RELATED PRODUCTS



Part Number
0551371
12-24V DOT/ECE LED
RHT Low Beam
Headlight with Chrome
Bezel



Part Number
0551381
12-24V DOT/ECE LED
High Beam Headlight
with Chrome Bezel



Part Number
0551391
12-24V ECE LED LHT
Low Beam Headlight
with Chrome Bezel



Part Number
0551771
12-24V DOT/ECE LED
RHT Low Beam Heated
Headlight with Chrome
Bezel



Part Number
0551781
12-24V DOT/ECE LED
High Beam Heated
Headlight with Chrome
Bezel



Part Number
0552091
12-24V ECE LED LHT
Low Beam Heated
Headlight with Chrome
Bezel



Part Number
0552561
12-24V ECE LED LHT
Low Beam Headlight
with Black Bezel



Part Number
0552571
12-24V DOT/ECE LED
High Beam Headlight
with Black Bezel