

# LED Headlights – Model 8800 Evolution 2

## PRODUCT INFORMATION

|                                      |                                                              |
|--------------------------------------|--------------------------------------------------------------|
| <b>Description</b>                   | 12-24V DOT/ECE LED RHT Low Beam Headlight with Black Bezel   |
| <b>Height</b>                        | 107.19 mm / 4.22 in                                          |
| <b>Width</b>                         | 167.64 mm / 6.6 in                                           |
| <b>Depth</b>                         | 84.90 mm / 3.34 in                                           |
| <b>Shape</b>                         | Rectangular                                                  |
| <b>Outer Lens Material</b>           | Hardcoated Polycarbonate                                     |
| <b>Outer Lens Color</b>              | Clear                                                        |
| <b>Housing Material</b>              | Die-Cast Aluminum                                            |
| <b>Housing Color</b>                 | Black                                                        |
| <b>Bezel Color</b>                   | Black                                                        |
| <b>Mounting Type</b>                 | Low-Profile Panel Mount                                      |
| <b>Retrofits</b>                     | 1A1 and 2A1 (4" 1 6") sealed beams                           |
| <b>Minimum Operating Temperature</b> | -40 °C / -40 °F                                              |
| <b>Maximum Operating Temperature</b> | 65 °C / 149 °F                                               |
| <b>Connector or Wiring</b>           | H4 Connector - AMP (#172615-2)                               |
| <b>Mating Connector</b>              | LH Terminal - AMP (#172795-1); RH Terminal - AMP (#172796-1) |
| <b>Product Weight</b>                | 1.83 lbs / 0.83 kgs                                          |
| <b>Shipping Weight</b>               | 2.30 lbs / 1.04 kgs                                          |




Print date: 2025-07-16

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER®**  
Engineered. Lighting. Solutions.

# LED Headlights – Model 8800 Evolution 2

## PRODUCT DIMENSIONS



## ELECTRICAL SPECIFICATIONS

|                          |                                  |
|--------------------------|----------------------------------|
| <b>Input Voltage</b>     | 12-24V DC                        |
| <b>Operating Voltage</b> | 9-32V DC                         |
| <b>White Wire</b>        | Low Beam                         |
| <b>Black Wire</b>        | Ground                           |
| <b>Yellow Wire</b>       | Low Beam                         |
| <b>Current Draw</b>      | 2.10A @ 12V DC<br>1.00A @ 24V DC |

## REGULATORY STANDARDS COMPLIANCE



Buy America Standards  
Eco Friendly  
IEC IP69K

ECE Reg 112  
FMVSS 108 s10.1 (Table XIX)

Print date: 2025-07-16


© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER®**  
Engineered. Lighting. Solutions.

# LED Headlights – Model 8800 Evolution 2

## PHOTOMETRIC SPECIFICATIONS

|                                      |                                                                                   |
|--------------------------------------|-----------------------------------------------------------------------------------|
| <b>Raw Lumen Output</b>              | 2,830                                                                             |
| <b>Effective Lumen Output</b>        | 782                                                                               |
| <b>Candela Output</b>                | 29,800                                                                            |
| <b>Nominal LED Color Temperature</b> | 5000 K                                                                            |
| <b>Beam Pattern(s)</b>               | Forward Lighting - Low Beam (DOT)<br>Forward Lighting - Low Beam (ECE Right Hand) |



## APPLICATIONS



## PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Print date: 2025-07-16

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

**J.W. SPEAKER®**  
*Engineered. Lighting. Solutions.*

# LED Headlights – Model 8800 Evolution 2

## ACCESSORIES



**Part Number**  
**3269601**

Low Beam Harness for  
8800 Evolution 2  
Series



**Part Number**  
**3269611**

High Beam Harness for  
8800 Evolution 2  
Series

## RELATED PRODUCTS



**Part Number**  
**0551371**

12-24V DOT/ECE LED  
RHT Low Beam  
Headlight with Chrome  
Bezel



**Part Number**  
**0551381**

12-24V DOT/ECE LED  
High Beam Headlight  
with Chrome Bezel



**Part Number**  
**0551771**

12-24V DOT/ECE LED  
RHT Low Beam Heated  
Headlight with Chrome  
Bezel



**Part Number**  
**0551781**

12-24V DOT/ECE LED  
High Beam Heated  
Headlight with Chrome  
Bezel



**Part Number**  
**0552571**

12-24V DOT/ECE LED  
High Beam Headlight  
with Black Bezel



**Part Number**  
**0552651**

12-24V DOT/ECE LED  
RHT Low Beam Heated  
Headlight with Black  
Bezel



**Part Number**  
**0552671**

12-24V DOT/ECE LED  
High Beam Heated  
Headlight with Black  
Bezel

Print date: 2025-07-16

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER®**  
*Engineered. Lighting. Solutions.*