


# Low Beam Harness for 8800 Evolution 2 Series

## PRODUCT INFORMATION

<b>Description</b>	Low Beam Harness for 8800 Evolution 2 Series
<b>Width</b>	254.00 mm / 10 in
<b>Connector or Wiring</b>	PE Connector
<b>Mating Connector</b>	Amp 172615-2
<b>Shipping Weight</b>	0.19 lbs / 0.09 kgs
<b>Additional Information</b>	This harness is for the Model 8800 Evolution 2 High Beam headlight. The PE Connector will plug directly into the lamp.



## PRODUCT DIMENSIONS



Print date: 2018-11-18

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
 Engineered. Lighting. Solutions.

# Low Beam Harness for 8800 Evolution 2 Series

## ELECTRICAL SPECIFICATIONS

<b>Black Wire</b>	Ground
<b>White Wire</b>	Low Beam
<b>Yellow Wire</b>	High Beam

## REGULATORY STANDARDS COMPLIANCE



Buy America Standards

Eco Friendly

## APPLICATIONS



Print date: 2018-11-18

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660



# Low Beam Harness for 8800 Evolution 2 Series

## SUITS THESE PRODUCTS

---



**4" x 6" Heated & Non-Heated Headlights**

LED Headlights -  
Model 8800 Evolution  
2