
### **PRODUCT INFORMATION**

Description	12V DOT LED High/Low Beam Heated Headlight w/ Built In Turn Signal - Black - Single LH Light	Ganc
Height	176.50 mm / 6.95 in	
Width	176.50 mm / 6.95 in	
Depth	112.00 mm / 4.41 in	
Shape	Round	
Outer Lens Material	Polycarbonate	A EVO J3
Outer Lens Color	Clear	
Housing Material	Aluminum	
Housing Color	Black	
Bezel Color	Black	
Retrofits	7" Round Headlights or 2D1 PAR56	
Minimum Operating Temperature	-40 °C / -40 °F	
Maximum Operating Temperature	65 °C / 149 °F	EVO J <mark>3</mark>
<b>Connector or Wiring</b>	H13 Delphi 15326813	
Product Weight	2.55 lbs / 1.16 kgs	
Shipping Weight	3.35 lbs / 1.52 kgs	

### **PRODUCT DIMENSIONS**





### **ELECTRICAL SPECIFICATIONS**

Input Voltage	12V DC
Operating Voltage	9-16V DC
Transient Spike Protection	150V Peak @ 1 HZ-100 Pul
Black Wire	Ground
Yellow Wire	Low Beam
White Wire	High Beam
Orange Wire	Front Turn
Red Wire	Position
Current Draw	2.33A @ 12V DC (Low Beam) 3.25A @ 12V DC (High Beam) 3.00A @ 12V DC (Front Turn) 0.45A @ 12V DC (Position)

### **REGULATORY STANDARDS COMPLIANCE**




Bluetooth SIG Declaration ID Eco Friendly FMVSS 108 s10.1 (Table XVIII) FMVSS 108 s7.1 (Table VI) IEC IP69K

**Buy America Standards** FMVSS 108 s10.1 (Table XIX) Tested to ECE Reg. 10 (Radiated Emissions only)



### **PHOTOMETRIC SPECIFICATIONS**

Raw Lumen Output	3,600 (High Beam); 3,020 (Low Beam)
Effective Lumen Output	1,320 (High Beam); 1,201 (Low Beam)
Candela Output	68,800 (High Beam) 24,800 (Low Beam)
Nominal LED Color Temperature	5000 K
Beam Pattern(s)	Forward Lighting - High Beam (DOT) Forward Lighting - Low Beam (DOT) Signalization - Front Position Signalization - Turn (Front)



#### **APPLICATIONS**



#### **PRODUCT WARNINGS**

For California residents: ▲ WARNING: Cancer and reproductive harm - <u>www.P65Warnings.ca.gov</u>. ▲ AVERTISSEMENT: Cancer et effet nocif sur la reproduction - <u>www.P65Warnings.ca.gov</u>.

Print date: 2024-07-27 © 2024 J.W. Speaker Corporation • Germantown, WI U.S.A. www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660



### **RELATED PRODUCTS**







**Part Number** 0555613 12V DOT LED High/Low Beam Heated Headlight w/ Built In Turn Signal -Graphite - 2 Light Kit



**Part Number** 0556441 12V DOT LED High/Low Beam Headlight w/ Built In Turn Signal - Graphite - Single RH Light



**Part Number** 0556451 12V DOT LED High/Low Beam Headlight w/ Built In Turn Signal - Graphite - Single LH Light



**Part Number** 0556461 12V DOT LED High/Low Beam Heated Headlight w/ Built In Turn Signal -Graphite - Single RH Light



Part Number 0556471

12V DOT LED High/Low Beam Heated Headlight w/ Built In Turn Signal -Graphite - Single LH Light

Print date: 2024-07-27



Part Number 0557193 12V DOT LED High/Low Beam

Headlight w/ Built In Turn Signal - Black - 2 Light Kit



**Part Number** 0557213 12V DOT LED

High/Low Beam Heated Headlight w/ Built In Turn Signal -Black - 2 Light Kit

