


# LED Auxiliary Lights - Model 6048

## PRODUCT INFORMATION

<b>Description</b>	12-24V LED Color Auxiliary Light - (Red/Blue/Amber/Green)
<b>Height</b>	77.95 mm / 3.07 in
<b>Width</b>	138.50 mm / 5.45 in
<b>Depth</b>	53.90 mm / 2.12 in
<b>Shape</b>	Rectangular
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	White
<b>Housing Material</b>	Aluminum
<b>Housing Color</b>	Black
<b>Bezel Color</b>	N/A
<b>Mounting Type</b>	Pedestal
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Connector or Wiring</b>	3' Cable with Integrated Connector
<b>Product Weight</b>	0.60 lbs / 0.27 kgs
<b>Shipping Weight</b>	1.30 lbs / 0.59 kgs



## PRODUCT DIMENSIONS



Print date: 2026-03-17

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
 Engineered. Lighting. Solutions.

# LED Auxiliary Lights - Model 6048

## ELECTRICAL SPECIFICATIONS

---

<b>Input Voltage</b>	12-24V DC
<b>Operating Voltage</b>	9-30V DC
<b>Transient Spike Protection</b>	330V Peak @ 1 HZ-100 Pulses
<b>Black Wire</b>	Ground
<b>Red Wire</b>	Red
<b>Blue Wire</b>	Blue
<b>Yellow Wire</b>	Amber
<b>Green Wire</b>	Green
<b>White Wire</b>	Blue
<b>Current Draw</b>	0.60A @ 12V DC (Red) 0.60A @ 12V DC (Blue) 0.60A @ 12V DC (Amber) 0.60A @ 12V DC (Green) 0.30A @ 24V DC (Red) 0.30A @ 24V DC (Blue) 0.30A @ 24V DC (Amber) 0.30A @ 24V DC (Green)

## REGULATORY STANDARDS COMPLIANCE

---



Buy America Standards  
IEC IP69K



Eco Friendly



## PHOTOMETRIC SPECIFICATIONS

---

**Beam Pattern(s)** Warning - Keep Out Zone

**Print date: 2026-03-17**

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
Engineered. Lighting. Solutions.

# LED Auxiliary Lights - Model 6048

## APPLICATIONS



## PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## RELATED PRODUCTS



**Part Number**  
**0543591**

12-24V LED Auxiliary  
Light with Driving  
Beam Pattern



**Part Number**  
**0548631**

12-24V LED Auxiliary  
Light with Spot Beam  
Pattern



**Part Number**  
**0549691**

12V SAE/ECE LED  
Auxiliary Light with  
Fog Beam Pattern