


# LED Clearance Lights & Marker Lights - Model 170

## PRODUCT INFORMATION

<b>Description</b>	12V ECE/SAE Red LED Side Marker Light
<b>Height</b>	47.75 mm / 1.88 in
<b>Width</b>	91.95 mm / 3.62 in
<b>Depth</b>	8.38 mm / 0.33 in
<b>Shape</b>	Rectangular
<b>Outer Lens Material</b>	Acrylic
<b>Outer Lens Color</b>	Red
<b>Housing Material</b>	ABS
<b>Housing Color</b>	Black
<b>Mounting Type</b>	Low Profile Mount
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Connector or Wiring</b>	23" Bare Leads
<b>Product Weight</b>	0.13 lbs / 0.06 kgs
<b>Shipping Weight</b>	2.48 lbs / 1.12 kgs



## PRODUCT DIMENSIONS



Print date: 2026-03-07

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

# LED Clearance Lights & Marker Lights - Model 170

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12V DC
<b>Red Wire</b>	Positive
<b>Black Wire</b>	Negative
<b>Current Draw</b>	0.055-0.070 A @ 12V DC

## REGULATORY STANDARDS COMPLIANCE



Buy America Standards	ECE Reg 3
ECE Reg 7	Eco Friendly
FMVSS 108 s8.1 (Table XVI)	SAE J594

## PHOTOMETRIC SPECIFICATIONS

<b>Beam Pattern(s)</b>	Signalization - Clearance
	Signalization - Turn (Front)
	Signalization - Turn (Rear)

## APPLICATIONS



**Print date: 2026-03-07**

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
Engineered. Lighting. Solutions.

# LED Clearance Lights & Marker Lights - Model 170

## PRODUCT WARNINGS

---

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## RELATED PRODUCTS

---



**Part Number**

**0230731**

12V ECE/SAE Amber  
LED Side Marker Light