


# LED Compact Rectangular Work Light - Model 893

## PRODUCT INFORMATION

<b>Description</b>	12-24V LED Work Light with Pedestal Mount
<b>Height</b>	70.00 mm / 2.76 in
<b>Width</b>	196.00 mm / 7.72 in
<b>Depth</b>	45.00 mm / 1.77 in
<b>Shape</b>	Rectangular
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Aluminum
<b>Housing Color</b>	Black
<b>Mounting Hardware Description</b>	(x1) 8mm-20 x 25mm Mounting Bolt Bracket
<b>Mounting Type</b>	Pedestal
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	85 °C / 185 °F
<b>Mating Connector</b>	Deutsch DT06-2S-E003
<b>Product Weight</b>	1.02 lbs / 0.46 kgs
<b>Shipping Weight</b>	1.30 lbs / 0.59 kgs



## PRODUCT DIMENSIONS



Print date: 2026-06-19

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
 Engineered. Lighting. Solutions.

# LED Compact Rectangular Work Light - Model 893

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	9-32V DC
<b>Operating Voltage</b>	12-24V DC
<b>Transient Spike Protection</b>	330V Peak @ 1 HZ-100 Pulses
<b>Red Wire</b>	Power
<b>Black Wire</b>	Ground
<b>Current Draw</b>	4.5A @ 12V DC (Power) 1.8A @ 24V DC (Power)


## REGULATORY STANDARDS COMPLIANCE



Buy America Standards	ECE Reg 10
Eco Friendly	IEC IP67
IEC IP69K	

## PHOTOMETRIC SPECIFICATIONS

<b>Raw Lumen Output</b>	7120
<b>Effective Lumen Output</b>	3700
<b>Candela Output</b>	6230
<b>Nominal LED Color Temperature</b>	5050 K



Print date: 2026-06-19

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
Engineered. Lighting. Solutions.

# LED Compact Rectangular Work Light - Model 893

## APPLICATIONS

---



## PRODUCT WARNINGS

---

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## ACCESSORIES

---



**Part Number**

**8201241**

DIN Pole Mount for  
Work Lights

## RELATED PRODUCTS

---



**Part Number**

**1300811**

12-24V LED Anti-Glare,  
590Nm, Eco-Friendly  
Work Light with  
Pedestal Mount



**Part Number**

**1300831**

12-24V LED Dual Color  
Work Light with  
Pedestal Mount

---

Print date: 2026-06-19

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660