


# LED Compact Rectangular Work Light - Model 893

## PRODUCT INFORMATION

<b>Description</b>	12-24V LED Anti-Glare, Eco-Friendly Work Light with Pedestal Mount
<b>Height</b>	70.00 mm / 2.76 in
<b>Width</b>	196.00 mm / 7.72 in
<b>Depth</b>	45.00 mm / 1.77 in
<b>Shape</b>	Rectangular
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Aluminum Die Cast
<b>Housing Color</b>	Black
<b>Mounting Hardware Description</b>	(x1) 5/16"-18 x 1" Mounting Bolt Bracket
<b>Mounting Type</b>	Pedestal
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Mating Connector</b>	Deutsch DT06-2S-E003
<b>Product Weight</b>	1.02 lbs / 0.46 kgs
<b>Shipping Weight</b>	9.65 lbs / 4.38 kgs



## PRODUCT DIMENSIONS



Print date: 2025-02-08

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
 Engineered. Lighting. Solutions.

# LED Compact Rectangular Work Light - Model 893

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12-24V DC
<b>Operating Voltage</b>	9-32V DC
<b>Red Wire</b>	Power
<b>Black Wire</b>	Ground
<b>Current Draw</b>	3.3A @ 12V DC (Power) 1.5A @ 24V DC (Power)


## REGULATORY STANDARDS COMPLIANCE



Buy America Standards  
IEC IP67

Eco Friendly  
IEC IP69K

## PHOTOMETRIC SPECIFICATIONS



## PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Print date: 2025-02-08

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
Engineered. Lighting. Solutions.

# LED Compact Rectangular Work Light - Model 893

## RELATED PRODUCTS

---



**Part Number**  
**1300671**

12/24V LED Work Light  
with Pedestal Mount