


LED Compact Rectangular Work Light - Model 893

PRODUCT INFORMATION

Description	12-24V LED Anti-Glare, 590Nm, Eco-Friendly Work Light with Pedestal Mount
Height	70.00 mm / 2.76 in
Width	196.00 mm / 7.72 in
Depth	45.00 mm / 1.77 in
Shape	Rectangular
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Color	Black
Mounting Hardware Description	(x1) 8mm-20 x 25mm Mounting Bolt Bracket
Minimum Operating Temperature	-40 °C / -40 °F
Mating Connector	Deutsch DT06-2S-E003
Product Weight	1.02 lbs / 0.46 kgs
Shipping Weight	9.65 lbs / 4.38 kgs



PRODUCT DIMENSIONS



Print date: 2026-06-19

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
 Engineered. Lighting. Solutions.

LED Compact Rectangular Work Light - Model 893

ELECTRICAL SPECIFICATIONS

Input Voltage	12-24V DC
Operating Voltage	9-32V DC
Red Wire	Power
Black Wire	Ground
Current Draw	3.3A @ 12V DC (Power) 1.5A @ 24V DC (Power)

REGULATORY STANDARDS COMPLIANCE




Buy America Standards
IEC IP67

Eco Friendly
IEC IP69K

PHOTOMETRIC SPECIFICATIONS

Effective Lumen Output	2300
Candela Output	7400
Nominal LED Color Temperature	1850 K



PRODUCT WARNINGS

For California residents:

⚠️ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠️ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

Print date: 2026-06-19

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

LED Compact Rectangular Work Light - Model 893

ACCESSORIES



Part Number
8201241

DIN Pole Mount for
Work Lights

RELATED PRODUCTS



Part Number
1300671

12-24V LED Work Light
with Pedestal Mount



Part Number
1300831

12-24V LED Dual Color
Work Light with
Pedestal Mount