

LED Compact Rectangular Work Light - Model 893

PRODUCT INFORMATION

| | |
|--------------------------------------|---|
| Description | 12-24V LED Dual Color Work Light with Pedestal Mount |
| Height | 55.60 mm / 2.19 in |
| Width | 196.00 mm / 7.72 in |
| Depth | 45.20 mm / 1.78 in |
| Shape | Rectangular |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Clear |
| Housing Material | Aluminum |
| Housing Color | Black |
| Bezel Color | N/A |
| Mounting Hardware Description | (x1) 5/16"-18 x 1.00" Mounting Bolt Bracket |
| Mounting Type | Pedestal |
| Connector or Wiring | Not included, but available for purchase separately |
| Mating Connector | Deutsch DT06-3S-P012 |
| Product Weight | 1.02 lbs / 0.46 kgs |
| Shipping Weight | 9.65 lbs / 4.38 kgs |
| Additional Information | This is a 2 wire light that changes color by toggling power. Warm/Cool White Color Temperatures: Warm White: 2700K Cool White: 5700K |




Print date: 2026-06-17

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
Engineered. Lighting. Solutions.

LED Compact Rectangular Work Light - Model 893


PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

| | |
|--------------------------|--|
| Input Voltage | 9-30V DC |
| Operating Voltage | 12-24V DC |
| Red Wire | Power |
| Black Wire | Ground |
| Current Draw | 1.7A @ 12V DC (Power cool, power warm) 0.8A @ 24V DC (Power cool, power warm) |

REGULATORY STANDARDS COMPLIANCE



IEC IP67

IEC IP69K



Print date: 2026-06-17

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Compact Rectangular Work Light - Model 893

PHOTOMETRIC SPECIFICATIONS

| | |
|--------------------------------------|--------------------------------------|
| Raw Lumen Output | 3365 (cool white), 2615 (warm white) |
| Effective Lumen Output | 1700 (cool white), 1340 (warm white) |
| Candela Output | 1790 (cool white), 2380 (warm white) |
| Nominal LED Color Temperature | 4200 K |
| Beam Pattern(s) | Forward Lighting - Flood (Vertical) |



APPLICATIONS



PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

Print date: 2026-06-17

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

LED Compact Rectangular Work Light - Model 893

ACCESSORIES



Part Number
8201241

DIN Pole Mount for
Work Lights

RELATED PRODUCTS



Part Number
1300671

12-24V LED Work Light
with Pedestal Mount



Part Number
1300811

12-24V LED Anti-Glare,
590Nm, Eco-Friendly
Work Light with
Pedestal Mount