

LED Dome Light - Model 282

PRODUCT INFORMATION

| | |
|--------------------------------------|---|
| Description | 12-24V LED Dome Light |
| Height | 215.90 mm / 8.5 in |
| Width | 49.53 mm / 1.95 in |
| Depth | 27.94 mm / 1.1 in |
| Shape | Rectangular |
| Outer Lens Material | Acrylic |
| Outer Lens Color | Clear |
| Housing Material | ABS |
| Housing Color | Black |
| Mounting Type | Low Profile Mount |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | Optional 2-Pin Deutsch Socket (DT04-2P); 3-Pin Deutsch Socket (DT04-3P) |
| Mating Connector | Optional 2-Pin Deutsch Plug (DT06-2S); 3-Pin Deutsch Plug (DT06-3S) |
| Product Weight | 0.30 lbs / 0.14 kgs |
| Shipping Weight | 5.40 lbs / 2.45 kgs |




Print date: 2019-02-16

© 2019 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Dome Light - Model 282

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

| | |
|----------------------|-----------|
| Input Voltage | 12-24V DC |
| Red Wire | Positive |
| Black Wire | Negative |

REGULATORY STANDARDS COMPLIANCE



Buy America Standards
IEC IP66

Eco Friendly

Print date: 2019-02-16

© 2019 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
Engineered. Lighting. Solutions.

LED Dome Light - Model 282

PHOTOMETRIC SPECIFICATIONS

Nominal LED Color Temperature 5000 K
Beam Pattern(s) Interior - Dome Light

APPLICATIONS



Print date: 2019-02-16

© 2019 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660