


LED Dome lights & Signal Lights - Model 412

PRODUCT INFORMATION

| | |
|--------------------------------------|---|
| Description | 12-48V Clear LED Dome Light with Deutsch Connector & Switch, No Timer |
| Height | 57.15 mm / 2.25 in |
| Width | 165.10 mm / 6.5 in |
| Depth | 27.69 mm / 1.09 in |
| Shape | Rectangular |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Clear |
| Housing Material | Polycarbonate |
| Housing Color | Black |
| Mounting Hardware Description | (x2) M4-0.7 x 16 Mounting Bolts |
| Mounting Type | Low Profile Mount |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | Deutsch Connector |
| Product Weight | 0.33 lbs / 0.15 kgs |
| Shipping Weight | 5.40 lbs / 2.45 kgs |



PRODUCT DIMENSIONS



Print date: 2026-07-09

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
 Engineered. Lighting. Solutions.

LED Dome lights & Signal Lights - Model 412

ELECTRICAL SPECIFICATIONS

| | |
|----------------------|---|
| Input Voltage | 12-48V DC |
| Red Wire | Positive |
| Black Wire | Negative |
| Current Draw | 0.10A to 0.13A @ 12V DC 0.055A to 0.08A @ 24V DC 0.045A to 0.07A @ 36V DC 0.045A to 0.07A @ 48V DC |

REGULATORY STANDARDS COMPLIANCE




Buy America Standards
IEC IP67

Eco Friendly
UL Recognized

PHOTOMETRIC SPECIFICATIONS

| | |
|--------------------------------------|-----------------------|
| Nominal LED Color Temperature | 5000 K |
| Beam Pattern(s) | Interior - Dome Light |

APPLICATIONS



Print date: 2026-07-09

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

LED Dome lights & Signal Lights - Model 412

PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

RELATED PRODUCTS



Part Number

0343121

12-48V ECE LED Front
Position & Front Turn
Signal Light



Part Number

0442511

12-48V Clear LED
Dome Light with 7"
Bare Leads, No Switch,
No Timer



Part Number

0443301

12-48V Clear LED
Dome Light with
Deutsch Connector,
Switch & 60 Minute
Timer