


LED Light Bars - Model 9049-3M

PRODUCT INFORMATION

| | |
|--------------------------------------|--|
| Description | 12V LED 19" Light Bar with Spot Beam Pattern & Driving Light |
| Height | 102.97 mm / 4.05 in |
| Width | 562.66 mm / 22.15 in |
| Depth | 69.85 mm / 2.75 in |
| Shape | Rectangular |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Clear |
| Housing Material | Aluminum |
| Housing Color | Black |
| Mounting Type | Universal Mount |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | 36" Bare Leads |
| Shipping Weight | 7.09 lbs / 3.22 kgs |



PRODUCT DIMENSIONS



Print date: 2018-01-16

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
 Engineered. Lighting. Solutions.

LED Light Bars - Model 9049-3M

ELECTRICAL SPECIFICATIONS

| | |
|----------------------|------------------------------------|
| Input Voltage | 12-24V DC |
| Red Wire | Positive |
| Black Wire | Negative |
| Current Draw | 4.08A @ 12.8V DC 2.10A @ 24V DC |

REGULATORY STANDARDS COMPLIANCE




Buy America Standards
SAE J1113-21

Eco Friendly

PHOTOMETRIC SPECIFICATIONS

| | |
|--------------------------------------|---|
| Raw Lumen Output | 3,840 |
| Effective Lumen Output | 1,460 |
| Candela Output | 18,500 |
| Nominal LED Color Temperature | 5000 K |
| Beam Pattern(s) | Forward Lighting - Driving Forward Lighting - Spot |



Print date: 2018-01-16

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Light Bars - Model 9049-3M

APPLICATIONS



RELATED PRODUCTS



Part Number

0549281

12V SAE/ECE LED 19"
Light Bar with Fog
Beam Pattern