


# LED Fog Lights - Model 6050

## PRODUCT INFORMATION

<b>Description</b>	12V SAE/ECE RHT LED Fog Light with Chrome Inner Bezel in Rubber Bucket
<b>Height</b>	141.99 mm / 5.59 in
<b>Width</b>	127.00 mm / 5 in
<b>Depth</b>	85.34 mm / 3.36 in
<b>Shape</b>	Round
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Die-Cast Aluminum
<b>Housing Color</b>	Black
<b>Bezel Color</b>	Chrome
<b>Mounting Type</b>	Universal pedestal Mount
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Connector or Wiring</b>	Packard (#12124817)
<b>Product Weight</b>	1.40 lbs / 0.64 kgs



## PRODUCT DIMENSIONS



Print date: 2018-05-20

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**®  
 Engineered. Lighting. Solutions.

# LED Fog Lights - Model 6050

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12V DC
<b>Operating Voltage</b>	9-15V DC
<b>Transient Spike Protection</b>	150V Peak @ 1 HZ-100 Pulses
<b>Red Wire</b>	Positive
<b>Black Wire</b>	Negative
<b>Current Draw</b>	2.15A @ 12V DC

## REGULATORY STANDARDS COMPLIANCE




Buy America Standards  
Eco Friendly

ECE Reg 19  
SAE J583

## PHOTOMETRIC SPECIFICATIONS

<b>Raw Lumen Output</b>	750
<b>Effective Lumen Output</b>	500
<b>Nominal LED Color Temperature</b>	5000 K
<b>Beam Pattern(s)</b>	Forward Lighting - Fog



Print date: 2018-05-20

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Fog Lights - Model 6050

## APPLICATIONS

---



## RELATED PRODUCTS

---



**Part Number**

**1403141**

12V SAE/ECE RHT LED  
Fog Light with Black  
Inner Bezel in Rubber  
Bucket

---

**Print date: 2018-05-20**

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660