

LED Handheld Work Light – Model 4416

PRODUCT INFORMATION

Description	12-24V Handheld Work Light with Spot Beam Pattern
Height	191.00 mm / 7.52 in
Width	85.00 mm / 3.35 in
Depth	64.44 mm / 2.54 in
Shape	Round
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Die-Cast Aluminum
Housing Color	Black
Mounting Hardware Description	Handheld
Connector or Wiring	Deutsch DT04-2P-E008
Shipping Weight	2.10 lbs / 0.95 kgs






Print date: 2017-08-23

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
Engineered. Lighting. Solutions.

LED Handheld Work Light – Model 4416

PRODUCT DIMENSIONS



Print date: 2017-08-23

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Handheld Work Light – Model 4416

ELECTRICAL SPECIFICATIONS

Input Voltage	12-24 V
Operating Voltage	10-32 V
Red Wire	Positive
Black Wire	Negative
Current Draw	2.20A @ 12V 1.10A @ 24V

REGULATORY STANDARDS COMPLIANCE



Buy America Standards

Eco Friendly

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	2,450
Effective Lumen Output	1,350
Nominal LED Color Temperature	5000 K
Beam Pattern(s)	Forward Lighting - Spot

Print date: 2017-08-23

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Handheld Work Light – Model 4416

APPLICATIONS



ADDITIONAL INFORMATION

Kit Includes:

- (1) Coiled power cord stretching up to 12 feet and plugs into your vehicle's cigarette lighter (12-24V)
- (1) Vehicle power adapter with battery clips
- (1) Convenient nylon carrying bag

ACCESSORIES



Part Number
3269831

30' Power Cord
Assembly for Model
4416

Print date: 2017-08-23

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660