

# LED Handheld Work Light – Model 4416

## PRODUCT INFORMATION

|                                      |   |
|--------------------------------------|---|
| <b>Description</b>                   | 12V Camouflage Handheld Work Light with Spot Beam Pattern Kit |
| <b>Height</b>                        | 191.00 mm / 7.52 in   |
| <b>Width</b>                         | 85.00 mm / 3.35 in  |
| <b>Depth</b>                         | 64.44 mm / 2.54 in  |
| <b>Shape</b>                         | Round   |
| <b>Outer Lens Material</b>           | Polycarbonate   |
| <b>Outer Lens Color</b>              | Clear   |
| <b>Housing Material</b>              | Die-Cast Aluminum   |
| <b>Housing Color</b>                 | Camo  |
| <b>Mounting Hardware Description</b> | Handheld  |
| <b>Connector or Wiring</b>           | Deutsch DT04-2P-E008  |
| <b>Product Weight</b>                | 0.93 lbs / 0.42 kgs   |
| <b>Shipping Weight</b>               | 2.28 lbs / 1.03 kgs   |



MODEL  
**4416**




**Print date: 2026-06-04**

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**   
Engineered. Lighting. Solutions.

# LED Handheld Work Light - Model 4416

## PRODUCT DIMENSIONS



Print date: 2026-06-04

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Handheld Work Light - Model 4416

## ELECTRICAL SPECIFICATIONS

|                          |                |
|--------------------------|----------------|
| <b>Input Voltage</b>     | 12V DC         |
| <b>Operating Voltage</b> | 9-16V DC       |
| <b>Red Wire</b>          | Positive       |
| <b>Black Wire</b>        | Negative       |
| <b>Current Draw</b>      | 2.20A @ 12V DC |

## REGULATORY STANDARDS COMPLIANCE




Buy America Standards

Eco Friendly

## PHOTOMETRIC SPECIFICATIONS

|                                      |                         |
|--------------------------------------|-------------------------|
| <b>Raw Lumen Output</b>              | 2,450                   |
| <b>Effective Lumen Output</b>        | 1,350                   |
| <b>Nominal LED Color Temperature</b> | 5000 K                  |
| <b>Beam Pattern(s)</b>               | Forward Lighting - Spot |



Print date: 2026-06-04

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Handheld Work Light - Model 4416

## APPLICATIONS



## ADDITIONAL INFORMATION

Kit Includes:

- (1) Coiled power cord stretching up to 12 feet and plugs into your vehicle's cigarette lighter (12V)
- (1) Vehicle power adapter with battery clips
- (1) Convenient cotton carrying bag

## PRODUCT WARNINGS

For California residents:

- ⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).
- ⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## ACCESSORIES



**Part Number**  
**3270801**  
Trailer Hitch Wire  
Harness for Model  
4416



**Part Number**  
**7042881**  
Handheld Light  
Magnet Mount for  
Model 4416



**Part Number**  
**3269831**  
30' Power Cord with  
Battery Clips for Model  
4416

Print date: 2026-06-04

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

# LED Handheld Work Light - Model 4416

## RELATED PRODUCTS

---



**Part Number**  
**0552841**

12V Black Handheld  
Work Light with Spot  
Beam Pattern Kit