PRODUCT INFORMATION

Description
Height
Width
Depth
Shape
Outer Lens Material
Outer Lens Color
Housing Material
Housing Color
Bezel Color
Mounting Type
Retrofits
Minimum Operating
Temperature
Maximum Operating Temperature
Connector or Wiring
connector of trining
Product Weight

Shipping Weight Additional Information 24-110V LED Locomotive Headlight with Spot Beam Pattern & Heated Lens 170.00 mm / 6.69 in 170.00 mm / 6.69 in 103.00 mm / 4.06 in Round Polycarbonate Clear Aluminum Gray Black Panel 2D1 "PAR56" or 7" Round Headlights -40 °C / -40 °F

65 °C / 149 °F


Standard Sealed Beam Style Screw Terminals 2.60 lbs / 1.18 kgs 3.10 lbs / 1.41 kgs EN 55011: 2007 IEC 61000-4-5: 2014 EN 61000-4-3 EN 61000-4-4: 2012 EN 50155_2007 Additional Transient: 1500V chassis to ground short protection







PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	24-110V DC		
Operating Voltage	18-130V DC		
Transient Spike Protection	330V Peak @ 1 HZ-100 Pulses		
Current Draw	3.20A @ 24V DC (High Output) 1.20A @ 75V DC (High Output) 0.85A @ 110V DC (High Output) 2.60A @ 24V DC (Low Output) 0.85A @ 75V DC (Low Output) 0.75A @ 110V DC (Low Output)		



REGULATORY STANDARDS COMPLIANCE



Buy America StandardsEco FriendlyFRA Title 49 CFR 229.125 (a)FRA Title 49 CFR 229.125 (b)FRA Title 49 CFR 229.125 (d)IEC IP66(2)Tested to ECE Reg. 10(Radiated Emissions only)IEC IP66

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output Effective Lumen Output	2,200 1,800	10 · Lux	300m	
Candela Output	230,000	IU+ LUX	10+ Lux 150m	
Nominal LED Color Temperature	5100 K	1 Lux	0m	
Beam Pattern(s)	Forward Lighting - Spot	0.25 Lux	150m	
			300m	250m 500m 750m

APPLICATIONS





PRODUCT WARNINGS

For California residents: ▲ WARNING: Cancer and reproductive harm - <u>www.P65Warnings.ca.gov</u>. ▲ AVERTISSEMENT: Cancer et effet nocif sur la reproduction - <u>www.P65Warnings.ca.gov</u>.

RELATED PRODUCTS



Part Number 0554601 24-110V LED Locomotive Headlight with Spot Beam Pattern



Part Number 0561031 24-110V LED Locomotive Headlight with Warm White Spot Beam Pattern & Heated Lens



Part Number 0561061 24-110V LED Locomotive Headlight with Warm White Spot Beam Pattern

